



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER


(1)







NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/2019	
		CHECKED:	DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-5W1-224-2T1		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-5W1-	-224-2T1	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

1

21W4 Male/Female

47.05 23.53 - 14.49 - 14.49		33.30 3.30 4.30		53.50 31.75 00 00 00 00 00 00 00 00 00 0	
		11W1 Male/Female	27W2 Male/Femal	e	
	3W8 Female 31.75 22.83 22.97 4 4 4 4 4 4 4 4 4 4	33.30 18.65 9.70		63.80 31.75 15.24 ++++++++ +++++++++++++++++++++++++++	
	<i>Ф</i> . 1	17W2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING / 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	ΨΛ			47.05 23.03 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
				COMBO ASSEMBLY	
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/2019	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO		ARE THE PROPERTY OF EDAG ING., AND	SCALE: N.T.S	SHEET 3 OF 4	
THE EUROPEAN UNION DIRECTIVES			DRAWING NUMBER: 628-5W1-224-2T1 ISSU		

2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT



CANADA

OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

PART NUMBER:

628-5W1-224-2T1

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male




25W3 Male






36W4 Female





13W3 Male



36W4 Male








13W6 Male



43W2 Male




13W6 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT




47W1 Male



17W5 Female





			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-5W1-224-2T1		ISSUE
			PART NUMBER: 628-5W1	-224-2T1	1