



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-2WK2624-7NE		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-2WK	2624-7NE	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)


628-2WK2624-7NE

21W4 Male/Female

JWJ Male		owo Male					
÷	47.05 -23.53 -14.49 -14.49 -14.49 -14.49 -95 -95 -95 -95 -95 -95 -95 -9				63.50 31.75 00 0.70 0.00 0 0.70 0.00 0.0	- Berse	
			11W1 Male/Female	27W2 Male/Female	e		
5W5 Female	47.05 23.03 - 14.48 - 14.48	8W8 Female	33.30 19.85 9.70		83.50 31.75 15.24 +++++++ +++++++ ++++++++++++++++++++	a sea	
	<u>∔∙æ∞*†</u> † <u>י</u> אαא⊭†	+ 1694 + 1664 +	17W2 Male/Female	21W1 Male/Femal	e		
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		G/ ΦΑ	47.00 23.55 13.85 47.00 47		47.05 23.63 90 + + + + + + + + + + + + + + + + + + +	æ	
					SW REFERENCE NO.: 628 COMBO ASSEMBLY		
		COMBIN	ATION D-SUB	DRAWN: C.B	DATE: JAN. 01/20	019	
				CHECKED:	DATE:		
F [®] HS	THIS SERIES FULLY CONFORMS TO		ARE THE FROFERTT OF EDAG ING., AND	SCALE: N.T.S	SHEET 3 OF		
COMPLIANT	THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.		A OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 628-2WK	2624-7NE	ISSUE	
		YOUR CONNECTION TO QUALITY & SE	RVICE WITHOUT WRITTEN PERMISSION	PART NUMBER: 628-2WK	2624-7NE	1	

WITHOUT WRITTEN PERMISSION.

5W5 Male



8W8 Male

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25










25W3 Male











13W3 Male



36W4 Male








13W6 Male



43W2 Male






.XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female

36W4 Female




17W5 Male


COMPLIANT











	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/20)19
			CHECKED:	DATE:	
FORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 4 OF	4
DIRECTIVES DMPLIANCY.	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-2WK2624-7NE		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-2	WK2624-7NE	1

17W5 Female

THIS SERIES FULLY CONFO THE EUROPEAN UNION DIF 2011/65/EU FOR RoHS COM