Fusedrawer for Fuse Links 5x20 mm resp. 6.3x32 mm

Fuse tray for fuse links
(Fuse links not enclosed)

See below:
Approvals and Compliances

Description
- Component :
  Extra-Safe
- 1 Function :
  Fuseholder for Fuse-links 5x20 mm or 6.3x32 mm
- Approved together with power entry module

Characteristics
- The fuseholder is accessible from the equipment front
- Suitable for use in equipment according to IEC/UL 62368-1

References
Fits to type: CE; CG; CG-Bowdencable; KE; KG; KG-Bowdencable

Weblinks
pdf data sheet, html datasheet, General Product Information, Approvals, Distributor-Stock-Check, Accessories, Detailed request for product

Approvals and Compliances

Detailed information on product approvals, code requirements, usage instructions and detailed test conditions can be looked up in Details about Approvals

SCHURTER products are designed for use in industrial environments. They have approvals from independent testing bodies according to national and international standards. Products with specific characteristics and requirements such as required in the automotive sector according to IATF 16949, medical technology according to ISO 13485 or in the aerospace industry can be offered exclusively with customer-specific, individual agreements by SCHURTER.

Application standards
Application standards where the product can be used

Organization	Design	Standard	Description
IEC	Designed for applications acc.	IEC/UL 62368-1	IEC 62368-1 includes the basic requirements for safety of audio, video, information technology and office equipment.
IEC	Designed for applications acc.	IEC 60601-1	Medical electrical equipment - Part 1: General requirements for basic safety and essential performance
IEC	Designed for applications acc.	IEC 60335-1	Safety of electrical appliances for household and similar purposes. Meets the requirements for appliances in unattended use. This includes the enhanced requirements of glow wire tests acc. to IEC 60695-2-11 or -12 & -13.

Compliances
The product complies with following Guide Lines

Identification	Details	Initiator	Description
RoHS	RoHS	SCHURTER AG	Directive RoHS 2011/65/EU, Amendment (EU) 2015/863
REACH	REACH	SCHURTER AG	On 1 June 2007, Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals 1 (abbreviated as "REACH") entered into force.
OO	White Paper Glow wire test	SCHURTER AG	Meets the requirements of IEC 60335-1 for appliances in unattended use. This includes the enhanced requirements of glow wire tests acc. to IEC 60695-2-11 or -12 &-13.
	Medical Equipment	SCHURTER AG	Suitable for use in medical equipment according to IEC/UL 60601-1

All Variants

Fuse-Link	Fuseholder	Comment	Order Number	
5 x 20	1-pole	-	4305.0006	▌
5 x 20	2-pole	-	4305.0001	▌
5 x 20	2-pole	shorting bar in the neutral side	4305.0021	▌
6.3 x 32	1-pole	-	4305.0016	
6.3 x 32	2-pole	-	4305.0011	▌
6.3 x 32	2-pole	shorting bar in the neutral side	4305.0026	

▌ Most Popular.

Availability for all products can be searched real-time:https://www.schurter.com/en/Stock-Check/Stock-Check-SCHURTER

Packaging unit	10 Pcs

09.04.2021