










NOTES:

1. MATERIAL:
HOUSING LCP, UL94V-0, GLOW WIRE CAPABLE PER IEC-60335-1 5TH EDITION, COLOR: BLACK .
TERMINAL: HIGH CONDUCTIVITY COPPER.
2. TERMINAL PLATING:
(TIN) 1.52 MICROMETER MIN (60 MICROINCH MIN) REFLOWED MATTE TIN OVER
1.27 MICROMETER MIN (50 MICROINCH MIN) MIN NICKEL OVERALL.
(15 GOLD) 0.38 MICROMETER MIN (15 MICROINCH MIN) SELECTIVE GOLD ON CONTACT AREA
WITH 2.54 MICROMETER MIN (100 MICROINCHES MIN) SELECTIVE TIN ON SOLDER AREA
BOTH OVER 1.27 MICROMETER MIN (50 MICROINCHES MIN) NICKEL OVERALL.
(30 GOLD) 0.76 MICROMETER MIN (30 MICROINCH MIN) SELECTIVE GOLD ON CONTACT AREA
WITH 2.54 MICROMETER MIN (100 MICROINCHES MIN) SELECTIVE TIN ON SOLDER AREA
BOTH OVER 1.27 MICROMETER MIN (50 MICROINCHES MIN) NICKEL OVERALL.
3. PRODUCT SPECIFICATION 1720631000-PS.
4. PACKAGING: TRAY PACKED PER MOLEX SPECIFICATION 2002412000.
5. PART MATES WITH MOLEX PART NUMBER 200456 SERIES.
6. APPLICATION SPECIFICATION: 768232000-AS
7. PARTS CONFORM TO CLASS "B" REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.
8. TO AVOID INTERFERENCE BETWEEN RECEPTACLE AND PCB, HEADER MUST BE PLACED WITHIN 12.00MM MAX FROM EDGE OF PCB

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex
	△/A = 0	mm	SCALE 2:1		
△/E = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				MEGA-FIT S/R HEADER ASSEMBLY(R/A)
△/V = 0	ANGULAR TOL ± 0.5°				
DIVISIONAL SYMBOLS	4 PLACES ±	EC NO: 630266		2020/01/10	PRODUCT CUSTOMER DRAWING
	3 PLACES ±	DRWN: ALU002		2020/04/29	
	2 PLACES ± 0.25	CHK'D: AYIN		2020/04/29	DOCUMENT NUMBER: 2002412000 DOC TYPE: PSD DOC PART: 000 REVISION: D
	1 PLACE ± 0.35	APPR: AYIN			
	0 PLACES ±	INITIAL REVISION:			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING: A3-SIZE	SERIES: 200241	MATERIAL NUMBER: GENERAL MARKET
DOCUMENT STATUS: P1		RELEASE DATE: 2020/04/29	08:27:09	SHEET NUMBER: 1 OF 3	





PCB LAYOUT:
 1.COMPONENT SIDE
 2.RECOMMEND PCB THICKNESS:1.58MM/.062IN TO 2.36MM/.093IN

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex
$\nabla_A = 0$	mm	SCALE	2:1		
$\nabla_E = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)				MEGA-FIT S/R HEADER ASSEMBLY(R/A)
$\nabla_{E'} = 0$	ANGULAR TOL $\pm 0.5^\circ$				PRODUCT CUSTOMER DRAWING
DIVISIONAL SYMBOLS	4 PLACES	\pm	EC NO: 630266	2020/01/10	DOCUMENT NUMBER
	3 PLACES	\pm	DRWN: ALUO02	2020/04/29	
	2 PLACES	± 0.25	CHK'D: AYIN	2020/04/29	DOC TYPE
	1 PLACE	± 0.35	APPR: AYIN		DOC PART
	0 PLACES	\pm	INITIAL REVISION:		REVISION
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRWN: YXZHENG	2016/09/22	
	THIRD ANGLE PROJECTION		APPR: YXZHENG	2018/08/06	
	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
	A3-SIZE	200241	GENERAL MARKET		2 OF 3

CKT SIZE	RESIN COLER	PART NO.	PLATING	DIM.A	DIM.B	DIM.C	DIM.D	PK SPEC
2	BLACK	2002411212	TIN	12.05	N/A	13.05	2.85	TRAY
3		2002411213		17.75	11.40	18.75	0.00	
4		2002414214		23.45	17.10	24.45	2.85	
5		2002411215		29.15	22.80	30.15	0.00	
6		2002411216		34.85	28.50	35.85	2.85	
7		2002411217		40.55	34.20	41.55	0.00	
8		2002411218		46.25	39.90	47.25	2.85	
2		2002411222		12.05	N/A	13.05	2.85	
3		2002411223	17.75	11.40	18.75	0.00		
4		2002411224	23.45	17.10	24.45	2.85		
5		2002411225	29.15	22.80	30.15	0.00		
6		2002411226	34.85	28.50	35.85	2.85		
7		2002411227	40.55	34.20	41.55	0.00		
8		2002411228	46.25	39.90	47.25	2.85		
2		2002411232	12.05	N/A	13.05	2.85		
3		2002411233	17.75	11.40	18.75	0.00		
4	2002411234	23.45	17.10	24.45	2.85			
5	2002411235	29.15	22.80	30.15	0.00			
6	2002411236	34.85	28.50	35.85	2.85			
7	2002411237	40.55	34.20	41.55	0.00			
8	2002411238	46.25	39.90	47.25	2.85			

CKT SIZE	RESIN COLER	PART NO.	PLATING	DIM.A	DIM.B	DIM.C	DIM.D	PK SPEC
* 2	BLACK	2002411912	TIN	12.05	N/A	13.05	2.85	TAPE&REEL
* 3		2002411913		17.75	11.40	18.75	0.00	
* 4		2002414914		23.45	17.10	24.45	2.85	
* 5		2002411915		29.15	22.80	30.15	0.00	
* 6		2002411916		34.85	28.50	35.85	2.85	
* 7		2002411917		40.55	34.20	41.55	0.00	
* 8		2002411918		46.25	39.90	47.25	2.85	
* 2		2002411922		12.05	N/A	13.05	2.85	
* 3		2002411923	17.75	11.40	18.75	0.00		
* 4		2002411924	23.45	17.10	24.45	2.85		
* 5		2002411925	29.15	22.80	30.15	0.00		
* 6		2002411926	34.85	28.50	35.85	2.85		
* 7		2002411927	40.55	34.20	41.55	0.00		
* 8		2002411928	46.25	39.90	47.25	2.85		
* 2		2002411932	12.05	N/A	13.05	2.85		
* 3		2002411933	17.75	11.40	18.75	0.00		
* 4	2002411934	23.45	17.10	24.45	2.85			
* 5	2002411935	29.15	22.80	30.15	0.00			
* 6	2002411936	34.85	28.50	35.85	2.85			
* 7	2002411937	40.55	34.20	41.55	0.00			
* 8	2002411938	46.25	39.90	47.25	2.85			

* DESIGNATES PART NOT RELEASED
CONTACT FACTORY FOR AVAILABILITY.

FUNCTIONAL SYMBOLS FA = 0 FB = 0 FC = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		 MEGA-FIT S/R HEADER ASSEMBLY(R/A)
	DIMENSION UNITS	SCALE	EC NO: 630266		
	mm	1:1	DRWN: ALUO02 2020/01/10		
	GENERAL TOLERANCES (UNLESS SPECIFIED)		CHK'D: AYIN 2020/04/29		
ANGULAR TOL ± 0.5°		APPR: AYIN 2020/04/29		PRODUCT CUSTOMER DRAWING	
4 PLACES ±		INITIAL REVISION:		DOCUMENT NUMBER	DOC TYPE
3 PLACES ±		DRWN: YXZHENG 2016/09/22		2002412000	PSD
2 PLACES ± 0.25		APPR: YXZHENG 2018/08/06		000	D
1 PLACE ± 0.35		SERIES		REVISION	
0 PLACES ±		A3-SIZE		3 OF 3	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	MATERIAL NUMBER	CUSTOMER
			A3-SIZE	200241	GENERAL MARKET