



NOTES:

1. MATERIALS:
 BUSHING - COPPER ALLOY, NICKEL PLATED
 TIP & RING TERMINALS / SPRINGS - COPPER ALLOY
 SLEEVE TERMINAL - COPPER ALLOY, TIN COATED
 INSULATORS - PHENOLIC
 JACK WASHER - COPPER ALLOY, NICKEL PLATED
 HEX NUT - COPPER ALLOY, NICKEL PLATED
 MOUNTING WASHER - STEEL, NICKEL PLATED

2. THIS PRODUCT IS RoHS COMPLIANT.

★ STAR SYMBOL DENOTES CRITICAL DIMENSION

UNLESS OTHERWISE SPECIFIED

1. ALL DIMENSIONS IN INCHES
 - TWO PLACE DECIMALS ±0.01
 - THREE PLACE DECIMALS ±0.005
 - ANGLES ±1°
 - ALL DIA. CONCENTRIC WITHIN 0.005 T.I.R.
2. FEATURES ON THE SAME CENTERLINE MUST BE ALIGNED WITHIN ±0.002
3. REMOVE ALL BURRS

DO NOT SCALE DRAWING

THIS DRAWING DESCRIBES A DESIGN CONSIDERED PROPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED BY SWITCHCRAFT INC. AND IS RELEASED ON A CONFIDENTIAL BASIS FOR IDENTIFICATION PURPOSES ONLY.

SIZE	WIDTH	MULT	LBS/M	TEMPER
FINISH			MATERIAL	
SPEC No.			SPEC No.	
FIRST USED ON		SCALE		
		2:1		
DATE DRAWN	BY	CHKD	APVD	
4-21-64	JR	CK 5-27-64	LG 6-2-64	
NAME			PART No.	
3 CONDUCTOR, Ø 0.210 OPEN CIRCUIT JAX, RoHS			S12B	
REVISIONS				REV
				A

Switchcraft®

SHEET | OF |