

## Crimping pliers - CRIMPFOX-P CK 1.6 ER 2.5 OIC-L - 1069228

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Crimping pliers, for rolled contacts CK 1,6-ER... OIC, cross section: 0.14 ... 2.5 mm<sup>2</sup>. Unlockable pressure lock, precise parallel crimping, front entry, B crimp, incl. positioning tool

### Your advantages

- ✓ Precision-manufactured dies ensure consistently high levels of quality during contact processing
- ✓ High crimping force with low manual force
- ✓ Marked die stations for precise processing of corresponding cross sections
- ✓ Parallel motion sequences of the dies for symmetrical and optimum crimping results
- ✓ The integrated positioning tool ensures that the contacts are perfectly aligned



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 055626 743936
GTIN	4055626743936

### Technical data

#### Dimensions

Length (b)	233 mm
------------	--------

#### General

Note	This product replaces 1884843 CRIMPFOX-1,6-ER-1,50-AT
Compression	B crimp
Min. cross section	0.14 mm <sup>2</sup>
Max. cross section	2.5 mm <sup>2</sup>
Weight	450 g

### Classifications

#### eCl@ss

eCl@ss 10.0.1	21043811
---------------	----------

# Crimping pliers - CRIMPFOX-P CK 1.6 ER 2.5 OIC-L - 1069228

## Classifications

### eCl@ss

eCl@ss 11.0	21043811
eCl@ss 6.0	21043800
eCl@ss 7.0	21043811
eCl@ss 9.0	21043811

### ETIM

ETIM 6.0	EC000168
ETIM 7.0	EC000168

### UNSPSC

UNSPSC 18.0	27111518
UNSPSC 19.0	27111518
UNSPSC 20.0	27111518
UNSPSC 21.0	27111518

## Accessories

### Accessories

#### Assembly tool

Assembly tool - UNIFOX MT-CK 1.6/2.5 - 1089092



Assembly tool, for CK 1.6... crimp contacts for small conductor cross sections

---

### Crimp contact

Crimp contact - CK1,6-ER-1,00BU OIC AG - 1004362



Crimp contact, contact diameter: 1.6 mm, rolled, Socket, contact material: Cu alloy, nickel-plated, contact surface: silver-plated, connection cross section: 0.34 mm<sup>2</sup> ... 1 mm<sup>2</sup>, AWG 22 ... 17

Crimp contact - CK1,6-ER-1,00ST OIC AG - 1004360



Crimp contact, contact diameter: 1.6 mm, rolled, Pin, contact material: Cu alloy, nickel-plated, contact surface: silver-plated, connection cross section: 0.34 mm<sup>2</sup> ... 1 mm<sup>2</sup>, AWG 22 ... 17

## Crimping pliers - CRIMPFOX-P CK 1.6 ER 2.5 OIC-L - 1069228

### Accessories

Crimp contact - CK1,6-ER-2,50BU OIC AG - 1004366



Crimp contact, contact diameter: 1.6 mm, rolled, Socket, contact material: Cu alloy, nickel-plated, contact surface: silver-plated, connection cross section: 1.5 mm<sup>2</sup> ... 2.5 mm<sup>2</sup>, AWG 16 ... 14

Crimp contact - CK1,6-ER-2,50ST OIC AG - 1004365



Crimp contact, contact diameter: 1.6 mm, rolled, Pin, contact material: Cu alloy, nickel-plated, contact surface: silver-plated, connection cross section: 1.5 mm<sup>2</sup> ... 2.5 mm<sup>2</sup>, AWG 16 ... 14

### Universal tools

Contact removal tool - UNIFOX RT-CK 1.6 - 1072069



Contact removal tool, for turned and rolled CK- 1.6-... contacts

Phoenix Contact 2021 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>