




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER







NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

				SW REFERENCE NO.: 628 COMBO ASSEMBLY				
				DRAWN: C.B		DATE: JAN. 01/2019		19
				CHECKED:		DATE:		
	EDAC INC		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C	C.A.D. 1:1)	SHEET 1	OF	4
		ARIO	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-25W3222-2		3222-2N1		ISSUE
	YOUR CONNECTION TO QUALITY & SERV	O QUALITY & SERVICE		PART NUMBER	: 628-25W	3222-2N1		1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W2 Male/Female



21W1 Male/Female




	SW REFERENCE NO.: 628 COMBO ASSEMBLY					
COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019				
	CHECKED:	DATE:				
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 3 OF	4		
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-25W	628-25W3222-2N1			
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-25W	3222-2N1	1		

5W5 Male

5W5 Female

COMPLIANT




47.00


23.53

8W8 Male





11W1 Male/Female



17W2 Male/Female

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES


2011/65/EU FOR RoHS COMPLIANCY.


10A / 2.2	
20A / 3.3	
30A / 3.7	
40A / 4.2	

CURRENT RATING / ØA









 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male



47.00 23.53 23.53 47.00 9.70 14.51 9.32 14.51 9.32 14.51 9.70 14.51 9.70 14.51 9.70 14.51 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.



36W4 Female



13W3 Male





51.00 30.50 13.72 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52 15.52





13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







				SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19			
				DATE:			
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4		
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-25W	3222-2N1	ISSUE		
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-25W	628-25W3222-2N1			