



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
K3		ECR-05-011024	14SEP2005	ABR	M.B.
K4		338429-5 ADDED	20AUG2007	HAA	M.B.
K5		NOTE 6 ADDED	15JAN2008	HAA	A.Z.
K6		NOTE 8 ADDED	05JUN2018	FRAN	EDER


NOTES

Bemerkungen:

- ① PHOSPHORBRONZE # 4 HD
- ② 2.54-5.00 μm Sn OVER 1.25-2.00 μm NICKEL
- ③ CUT OFF WIDTH
- ④ PLATING: UNDERLAYER; 1.25 μm-2.00 μm NICKEL  
ZONE X : 3 μm AG MIN.  
ZONE Y ; 2.54 μm - 5.00 μm Sn
- ⑤ 1.50-3.30 μm Sn OVER 1.25-2.00 μm NICKEL
- ⑥ PANCAKEREEL PACKED WITH PE BAG.  
WORKABILITY WITHIN SIX MONTHS BEGINNING WITH THE PRODUCTION DATE
- ⑦ ARTWORK LOGO
- ⑧ PLASTICREEL PACKED WITH PE BAG.  
WORKABILITY WITHIN SIX MONTHS BEGINNING WITH THE PRODUCTION DATE



SECTION A-A  
SCALE 20:1



**P.C.B HOLE DIM. ACTION PIN**  
 DRILLED HOLE: 1.6±0.025mm  
 FIN. HOLE: 1.39<sup>+0.15</sup><sub>-0.00</sub> mm  
 AFTER REFLOW: 1.37<sup>+0.15</sup><sub>-0.00</sub> mm  
 Cu-thks: 0.025 to 0.075 mm  
 Sn-thks: 0.004 to 0.010 mm

PACKAGING	FINISH	MATERIAL	PARTNUMBER	REV
⑧	②	①	338429-6	A
⑥	⑤	①	338429-5	K
⑥	④	①	338429-3	K
⑥	②	①	338429-2	K

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. Gibbels 08DEC1997			
DIMENSIONS: mm		CHK A. Bijnen 19JUL2001			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A. Bijnen 19JUL2001	NAME 2.8x0.8mm TAB WITH ACTION PIN (FOR 1.6-3.2mm PCB THICKNESS)		
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		PRODUCT SPEC -	SIZE A3	CAGE CODE 00779	DRAWING NO C=338429
MATERIAL -		FINISH -	WEIGHT -	RESTRICTED TO -	
CUSTOMER DRAWING			SCALE 5:1	SHEET 1 OF 1	REV K6