



Product Change Notice (PCN)

Date: 5/15/2019

PCN Number: PCN-0451201R-01

To Our Customers:

We appreciate your use of CUI products. Our commitment in maintaining and improving processes is demonstrated by plans to enhance our product quality, reliability and manufacturability. The purpose of this notice is to inform you of a product change.

Product(s) Affected: PJ-056, PJ-035-SMT-TR

Reason(s) for Change: The existing molds of PJ-056 and PJ-035-SMT-TR are unable to maintain efficient production. To ensure the quality and lead-time of production, a re-development of the mold has been processed. We have taken this opportunity to also optimize the product design to enhance the quality. The new mold will optimize the design, enhance the appearance, the electrical structure while function will remain the same (The comparison photos are available below).

Description of Change: Photos of changes included below.

Affected Date Code: 10/31/2019









Product Availability: Currently available









Additional Information: No change to form, fit, or function

PCN Approval:

Operations/Quality

Product Marketing

	New version	Current version
Top	 <p>pin#3 marking at the back</p>	 <p>pin#3 marking on sides</p>
Back	 <p>thickness of pin#2 is 0.25mm</p>	 <p>thickness of pin#2 is 0.2mm</p>
Left	 <p>pin#3 with dent</p>	 <p>pin#3 without dent</p>
Right	 <p>pin# 3 with dent</p>	 <p>pin#3 without dent</p>

	New version	Current version
Top	 <p data-bbox="358 489 721 541">pin#3 marking at the back</p>	 <p data-bbox="1013 489 1312 541">pin#3 marking on sides</p>
Back	 <p data-bbox="358 915 721 968">thickness of pin#2 is 0.25mm</p>	 <p data-bbox="997 915 1330 968">thickness of pin#2 is 0.2mm</p>
Left	 <p data-bbox="428 1346 680 1398">pin#3 with dent</p>	 <p data-bbox="1036 1346 1287 1398">pin#3 without dent</p>
Right	 <p data-bbox="415 1757 662 1801">pin#3 with dent</p>	 <p data-bbox="1040 1757 1281 1801">pin#3 without dent</p>