Mounting Option
.128 (3.25) Dia. Mounting Holes


Contact Detail

PC Tail .046x.014(1.17x0.36) - Tail LG=.213(5.41) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

ISSUE NUMBER

ORIGINAL

Å V	Q	
0.343[8.71]		0.156[3.96] 1.568[39.83] 1.714[43.54] 2.000[50.80]



See Accompanying Pages for:

- Contact Bend Details
- Mounting Options

.175 [4.45] Point of Contact (FROM BTM OF SLOT) Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board

SECTION A-A

307 ENG MASTER

DATE: AUG. 11/09

SHEET 1 OF 3

ISSUE

DATE:

307 / 357 Card Edge Conne	ACAD REFERENCE NO.		
· ·	DRAWN:	J.LEE	
Part Number: 357-009-421-1	CHECKED:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE:	NTS
TORONTO, ONTARIO		DRAWING NUMBER	
YOUR CONNECTION TO QUALITY & SERVICE		30	7 Assembly



