

Specification Sheet

Part Number: 904-00296

Hand lever is ergonomically designed to reduce user fatigue. Measuring guide incorporates both imperial and metric values which eliminates the need for secondary measurement devices.

Long lasting, hardened blade produces burr-free edges and improves productivity by eliminating the need for filing the edges after cutting.

Includes replacement blade and safety guide to ensure longevity, safety and proper use of the tool (replacements for both can also be purchased separately).



Wiring Duct Cutting Tool Replacement Blade, 1/pkg

| | |
|---------------------|---|
| Article Number | 904-00296 |
| Type | Wiring Duct Cutting Tool Replacement Blade |
| Color | Metal (ML) |
| Quantity Per | EA |
| Product Description | The HellermannTyton bench mounted wiring duct cutting tool is used to accurately measure and cut all HellermannTyton slotted and high density slotted wiring duct, solid dividers and covers. |
| Short Description | Wiring Duct Cutting Tool Replacement Blade, 1/pkg |

| | |
|------------------------------|---|
| Global Part Name | Wiring Duct Cutting Tool Replacement Blade-MET-ML |
| Material | Metal (MET) |
| Material Shortcut | MET |
| Halogen Free | No |
| UV Resistant (Yes/No) | No |
| Reach Compliant (Article 33) | No |
| Package Quantity (Imperial) | 1 |
| Package Quantity (Metric) | 1 |
| Customs Number | 8208900000 |

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)