Me In-	ounting Option Line Card Guides	Contact Detail Wire Hole .089x.014(2.29x0.36) - Tail LG=.213(5.41) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing	THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MAST	ER.	ISSUE NUMBER ORIGINAL (1
0.500[12.70]	0.156[3.96]	6.248[158.70] —6.394[162.41] —6.680[169.67]		SECT	TON A-A
	A				
				.175 [4.45] Point of Contact (FROM BTM OF SLOT)	
0.473 [12.01]	6.990[177.55] Card S			d Slot Accepts .054 [1.37] 70 [1.78] Thick P.C. Board	-
		307 / 357 Card Edge	e Connector	ACAD REFERENCE NO.	307 ENG MASTER
	See Accompanying Pages for:	Part Number: 307 03		DRAWN: J.LEE	DATE: AUG. 11/09 DATE:
		•	C INC THESE DRAWINGS AND SPECIFICATIONS	CHECKED: SCALE: NTS	SHEET 1 OF 3
			O, ONTARIO ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED	DRAWING NUMBER	ISSUE
		YOUR CONNECTION TO QUALITY &	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	307 Assembly	1



