


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




|--|

ORIGINAL

SSUE	NUMBER	
۸L		(1)






NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C




SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms



	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	CUFUS TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-21W4222-5T2		ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-21W4	4222-5T2	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

COMPLIANT

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

1

627-21W4222-5T2

21W4 Male/Female

PART NUMBER:


23.03 - 1449 - 1449		33.30 3.30 19.65 19.55 19.		63.50 31.75 90 - 9.70 + + + + + + + + + + + + + + + + + + +	-
		11W1 Male/Female	27W2 Male/Femal	e	
23.53 47.06 23.53 47.06 23.53 44.46 44.46 44.46 44.46 44.46 45.25 5	BW8 Female 31.75 22.87 22.87 31.75 22.87 22.97 31.75 22.97 22.97 31.75 22.97 22.97 31.75 31.75 22.97 31.75 31.75 22.97 31.75	17W2 Male/Female	21W1 Male/Femal		<u>s</u> sia
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		47.09 2363 13.85 		47.05 23.65 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
		COMBINATION D-SUB		OMBO ASSEMBLY	
	COMBINA			DATE: JAN. 01/2019	9
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO		ARE THE PROPERTY OF EDAG INC., AND	SCALE: N.T.S	SHEET 3 OF	
			DRAWING NUMBER: 627-21W	4222-5T2 I	ISSUE

2011/65/EU FOR RoHS COMPLIANCY.





8W8 Male



 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male



47.00 23.53 23.53 47.00 9.70 14.51 9.32 14.51 9.32 14.51 9.70 14.51 9.70 14.51 9.70 14.51 9.70 9.



36W4 Female




13W3 Male





51.00 30.50 13.72 15.52





13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female




43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







			SW REFERENCE NO.: 627 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-21W4222-512		ISSUE
			PART NUMBER: 627-21W	4222-5T2	1