



SAFETY DATA SHEET

DST - GENERAL PURPOSE DUST REMOVER, AEROSOL

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification

Product identifier

Product name	DST - GENERAL PURPOSE DUST REMOVER, AEROSOL
Product number	MCC-DST, MCC-DST36A, MCC-DSTZ, MCC-DST14A, MCC-DSTZ14, MCC-DST08A
Synonyms; trade names	419-500, 758OZ134

Recommended use of the chemical and restrictions on use

Application	Cleaning agent.
--------------------	-----------------

Details of the supplier of the safety data sheet

Supplier	MICROCARE LLC
Manufacturer	MICROCARE LLC 595 John Downey Drive New Britain, CT 06051 United States of America CAGE: OATV9 Tel: + 1 800 638 0125, +1 860-827-0626 techsupport@microcare.com

Emergency telephone number

Emergency telephone	INFOTRAC 1-800-535-5053 (U.S.A. and CANADA) 1-352-323-3500 (from anywhere in the world)
----------------------------	--

2. Hazard(s) identification

Classification of the substance or mixture

OSHA Regulatory Status	This Product is Hazardous under the OSHA Hazard Communication Standard.
Physical hazards	Press. Gas, Compressed - H280
Health hazards	Simple Asphyxiant - USH03
Human health	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Mild dermatitis, allergic skin rash.
Physicochemical	Vapors are heavier than air and may travel along the floor and accumulate in the bottom of containers. Gas or vapor displaces oxygen available for breathing (asphyxiant). Not considered to be a significant hazard due to the small quantities used.

Label elements

Signal word	Warning
Hazard statements	H280 Contains gas under pressure; may explode if heated. USH03 May displace oxygen and cause rapid suffocation
Precautionary statements	P410+P403 Protect from sunlight. Store in a well-ventilated place.

DST - GENERAL PURPOSE DUST REMOVER, AEROSOL

Supplemental label information EUH210 Safety data sheet available on request. RCH001a For use in industrial installations only.

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

HFC-134a Tetrafluoroethane 60-100% CAS number: 811-97-2
Classification Press. Gas, Liquefied - H280 Simple Asphyxiant - USH03

The full text for all hazard statements is displayed in Section 16.

Composition comments TSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of CFR 1900.1200 TSCA: The ingredients of this product are on the TSCA Inventory.

Composition

4. First-aid measures

Description of first aid measures

General information	Never give anything by mouth to an unconscious person. Do not induce vomiting. Place unconscious person on their side in the recovery position and ensure breathing can take place. If breathing stops, provide artificial respiration. Keep out of the reach of children.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues.
Ingestion	IF SWALLOWED: Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if symptoms are severe or persist.
Skin Contact	IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get medical attention if symptoms are severe or persist after washing. Wash clothing and clean shoes thoroughly before reuse.
Eye contact	If liquid has entered the eyes, proceed as follows. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a physician for specific advice.

Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Gas or vapor displaces oxygen available for breathing (asphyxiant). Vapors may cause headache, fatigue, dizziness and nausea. Difficulty in breathing.
Ingestion	Due to the physical nature of this material it is unlikely that swallowing will occur.
Skin contact	Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin.
Eye contact	Prolonged contact may cause redness and/or tearing.

DST - GENERAL PURPOSE DUST REMOVER, AEROSOL

Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards Aerosol containers can explode when heated, due to excessive pressure build-up. Keep away from heat, sparks and open flame.

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Hydrogen fluoride (HF).

Advice for firefighters

Protective actions during firefighting Move containers from fire area if it can be done without risk. Bursting aerosol containers may be propelled from a fire at high speed.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Aerosol containers can explode when heated, due to excessive pressure build-up. Warn everybody of potential hazards and evacuate if necessary. Provide adequate ventilation. Avoid inhalation of vapors. Use approved respirator if air contamination is above an acceptable level.

Environmental precautions

Environmental precautions Contain spillage with sand, earth or other suitable non-combustible material.

Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation.

Reference to other sections See Section 11 for additional information on health hazards.

7. Handling and storage

Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid inhalation of vapors/spray and contact with skin and eyes. Keep away from heat, sparks and open flame. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapors. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage precautions Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

Reference to other sections. Store away from incompatible materials (see Section 10).

8. Exposure controls/Personal protection

DST - GENERAL PURPOSE DUST REMOVER, AEROSOL

Control parameters

Occupational exposure limits

HFC-134a Tetrafluoroethane

Long-term exposure limit (8-hour TWA): OES 4240 mg/m³

Exposure controls

Protective equipment



Appropriate engineering controls

No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures

No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. When using do not eat, drink or smoke.

Respiratory protection

Vapors are heavier than air and may travel along the floor and accumulate in the bottom of containers. In confined or poorly-ventilated spaces, a supplied-air respirator must be worn. Wear self-contained breathing apparatus with full facepiece.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Liquefied gas
Color	Colorless.
Odor	Slight. Ether.
Odor threshold	No information available.
pH	No information available.
Melting point	No information available.
Initial boiling point and range	-26.1°C/-15.0°F @ 1013 hPa
Flash point	The product is not flammable.
Evaporation rate	> 1 (CCL4 = 1.0)
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	Upper flammable/explosive limit: n/a Lower flammable/explosive limit: n/a
Other flammability	The product is not flammable.

DST - GENERAL PURPOSE DUST REMOVER, AEROSOL

Vapor pressure	96 PSIA @ 20°C
Vapor density	3.6 @ 25 C / 77 F
Relative density	1.21 g/cm ³ at 25 °C (77 °F) (as liquid)
Bulk density	Not applicable.
Solubility(ies)	Slightly soluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Comments	Aerosol.
Global Warming Potential (GWP)	
Surface tension	
Refractive index	Not determined.
Particle size	Not applicable.
Molecular weight	No information available.
Volatility	100%
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	Not applicable.
Heat of vaporization (at boiling point), cal/g (Btu/lb)	

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	Will not polymerize.
Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight. Keep away from heat, sparks and open flame.
Materials to avoid	Alkali metals. Alkaline earth metals. Powdered metal.
Hazardous decomposition products	Heating may generate the following products: Carbon dioxide (CO ₂). Carbon monoxide (CO). Hydrogen fluoride (HF).

11. Toxicological information**Information on toxicological effects**

DST - GENERAL PURPOSE DUST REMOVER, AEROSOL

Other health effects	There is no evidence that the product can cause cancer.
Inhalation	Vapors irritate the respiratory system. May cause coughing and difficulties in breathing.
Ingestion	May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication.
Skin Contact	Contact with liquid form may cause frostbite. Product has a defatting effect on skin.
Eye contact	May cause temporary eye irritation.

Toxicological information on ingredients.

HFC-134a Tetrafluoroethane

Other health effects	There is no evidence that the product can cause cancer.
<u>Acute toxicity - inhalation</u>	
Acute toxicity inhalation (LC₅₀ gases ppmV)	567,000.0
Species	Rat
ATE inhalation (gases ppm)	567,000.0
Inhalation	Vapors irritate the respiratory system. May cause coughing and difficulties in breathing.
Ingestion	May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication.
Skin Contact	May cause allergic contact eczema. Contact with liquid form may cause frostbite.
Eye contact	May cause temporary eye irritation.

12. Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product.

Ecological information on ingredients.

HFC-134a Tetrafluoroethane

<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	LC ₅₀ , 96 hours: 450 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 980 mg/l, Daphnia magna

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

DST - GENERAL PURPOSE DUST REMOVER, AEROSOL**HFC-134a Tetrafluoroethane**

Partition coefficient Pow: 1.06

Mobility in soil

Mobility The product contains volatile substances which may spread in the atmosphere.

Other adverse effects

Other adverse effects The product contains a substance or substances that will contribute to global warming (greenhouse effect).

13. Disposal considerations**Waste treatment methods**

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

14. Transport information

General As supplied, this product is consigned under the Limited Quantities provisions. Requirements for marking and labeling of package varies depending on mode of transport. If uncertain of proper markings and labeling, call MicroCare for assistance.

UN Number

UN No. (IMDG) 1950

UN No. (ICAO) 1950

UN proper shipping name

Proper shipping name (TDG) LIMITED QUANTITY

Proper shipping name (IMDG) UN1950 AEROSOLS, NON-FLAMMABLE, 2.2, LIMITED QUANTITY

Proper shipping name (ICAO) UN1950 AEROSOLS, NON-FLAMMABLE, 2.2, LIMITED QUANTITY

Proper shipping name (DOT) LIMITED QUANTITY

Transport hazard class(es)

IMDG Class 2.2 LIMITED QUANTITY

ICAO class/division 2.2 LIMITED QUANTITY

Packing group

ICAO packing group Not Applicable

Environmental hazards**Environmentally Hazardous Substance**

No.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable. No information required.

15. Regulatory information

DST - GENERAL PURPOSE DUST REMOVER, AEROSOL

Guidance

Workplace Exposure Limits EH40.
Introduction to Local Exhaust Ventilation HS(G)37.

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

Not listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

Not listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

Not listed.

SARA 313 Emission Reporting

Not listed.

CAA Accidental Release Prevention

Not listed.

SARA (311/312) Hazard Categories

Pressure

OSHA Highly Hazardous Chemicals

Not listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Not listed.

California Air Toxics "Hot Spots" (A-I)

Not listed.

California Air Toxics "Hot Spots" (A-II)

Not listed.

California Directors List of Hazardous Substances

Not listed.

Massachusetts "Right To Know" List

Not listed.

Rhode Island "Right To Know" List

Not listed.

Minnesota "Right To Know" List

HFC-134a Tetrafluoroethane

Present.

New Jersey "Right To Know" List

Not listed.

Pennsylvania "Right To Know" List

Not listed.

Inventories

DST - GENERAL PURPOSE DUST REMOVER, AEROSOL**Canada - DSL/NDSL**

Yes

US - TSCA*HFC-134a Tetrafluoroethane*

Present.

16. Other information

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	6/3/2021
Revision	69
Supersedes date	6/15/2020
SDS No.	AEROSOL - DST
SDS status	Approved.
Hazard statements in full	H280 Contains gas under pressure; may explode if heated. USH03 May displace oxygen and cause rapid suffocation

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.