

Molded Parts Specification Control Drawing

Part Number : 224K012
Description : Boot, 90°, With Lip

NOTES

- All dimensions are in $\frac{\text{inches}}{[\text{millimeters}]}$
- Dimensions appearing in table are as follows:
 - As Supplied
 - After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.
- Molding ports are optional. When -00 modification number is specified molding ports will be located as shown.





TABLE OF DIMENSIONS

PART NUMBER	H		J		P ±10%	R ±10%	S ±10%	JO ±10%	T ±10%	U ±20%	HW ±20%	JW Min
	Min	Max	Min	Max								
	a	b	a	b								
224K012	.71 [18,0]	.55 [14,0]	.32 [8,0]	.13 [3,3]	1.29 [32,8]	.98 [25,0]	.67 [17,0]	.59 [15,0]	.06 [1,5]	.03 [0,75]	.07 [1,75]	.024 [0,61]



TYCO ELECTRONICS
300 CONSTITUTION DRIVE
MENLO PARK, CALIFORNIA 94025

© 2004 Tyco Electronics Corporation. All rights reserved


Revision : F
Date : 7/21/04

Part Number : 224K012
Description : Boot, 90°, With Lip

Molded Parts Specification Control Drawing


Part Number : 224K012
Description : Boot, 90°, With Lip

COMPATABILITY CHART					
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION
-3	Polyolefin, Semi-rigid	RT-301	/42;/86	S-1017;S-1048	Adhesive
-4	Polyolefin, Flexible	RT-1304	/42;/86	S-1017;S-1048	Adhesive
-25	Elastomer, Fluid Resistant	RT-1325	/42;/86	S-1017;S-1048	Adhesive
-100	Polyolefin, Semi-flexible ZEROHAL™	RT-1323	N/A		



THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR
NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION

If this document is printed it becomes uncontrolled.
Check for the latest revision.



TYCO ELECTRONICS
300 CONSTITUTION DRIVE
MENLO PARK, CALIFORNIA 94025

Revision : F
Date : 7/21/04

Part Number : 224K012
Description : Boot, 90°, With lip

CAD FILE MP04031