

HANDLE SHANKS

Glass-fibre reinforced polyamide based (PA) technopolymer, black colour, semi-matte finish.

STANDARD EXECUTIONS

- **RHUG-03:** back mounting, zinc-plated steel tapped bosses.
- **RHUG-04:** front mounting, pass-through holes for stainless steel cylindrical-head screws with hexagon socket and zinc-plated self-locking nuts, included in the supply.

Colour index:

- **01:** anodised aluminium tube, shaped, natural colour, matte finish.
- **04:** anodised aluminium tube, shaped, black colour, matte finish.

FEATURES AND APPLICATIONS


RH-UG series handles can be used in many different applications. The central aluminium tube, supplied separately from the shanks, is extremely simple and safe to assemble.

RH-UG series handles adapt well to use on a 19" rack and instruments in general.


HE = height unit of the front panel: 1 HE = 44.45 mm = 1 6/8".

SPECIAL EXECUTIONS ON REQUEST

Different lengths.



Conversion Table 1 mm = 0.039 inch			
f		L	
mm	inch	mm	inch
55	2.16	65	2.56
88	3.46	70	2.76
100	3.94	98	3.86
120	4.72	103	4.05
180	7.09	110	4.33
		115	4.53
		130	5.12
		135	5.31
		190	7.48
		195	7.68



RHUG-03

METRIC

Code	Code	f	L	d	p	B	h	l	li	G	HE*	⚖
RHUG-03.055.01	RHUG-03.055.04	55	65	M5	12	9	40	12	15	88.1	2	40
RHUG-03.088.01	RHUG-03.088.04	88	98	M5	12	9	40	12	15	132.5	3	44
RHUG-03.100.01	RHUG-03.100.04	100	110	M5	12	9	40	12	15	132.5	3	45
RHUG-03.120.01	RHUG-03.120.04	120	130	M5	12	9	40	12	15	177	4	48
RHUG-03.180.01	RHUG-03.180.04	180	190	M5	12	9	40	12	15	221.5	5	56

RHUG-04

Code	Code	f	L	d	B	h	l	li	G	HE*	⚖
RHUG-04.055.01	RHUG-04.055.04	55	70	M5	9	40	12	15	88.1	2	40
RHUG-04.088.01	RHUG-04.088.04	88	103	M5	9	40	12	15	132.5	3	44
RHUG-04.100.01	RHUG-04.100.04	100	115	M5	9	40	12	15	132.5	3	48
RHUG-04.120.01	RHUG-04.120.04	120	135	M5	9	40	12	15	177	4	51
RHUG-04.180.01	RHUG-04.180.04	180	195	M5	9	40	12	15	221.5	5	59

HE* = height unit of the front panel: 1 HE = 44.45 mm = 1 6/8".

