


- NOTES:**
- MATERIAL:**
HOUSING: LCP, GLASS-FILLED, UL94V-0,
COLOR: BLACK
TERMINAL: COPPER ALLOY 0.64mm SQ
 - PLATING TYPE:**
 - GOLD FLASH OVER
50 MICRO INCHES MIN. NICKEL OVERALL.
 - 1 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND
75 MICRO INCHES MIN. TIN ON SOLDER TAIL OVER
50 MICRO INCHES MIN. NICKEL OVERALL.
 - 10 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND
75 MICRO INCHES MIN. TIN ON SOLDER TAIL OVER
50 MICRO INCHES MIN. NICKEL OVERALL.
 - 15 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND
75 MICRO INCHES MIN. TIN ON SOLDER TAIL OVER
50 MICRO INCHES MIN. NICKEL OVERALL.
 - 30 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND
75 MICRO INCHES MIN. TIN ON SOLDER TAIL OVER
50 MICRO INCHES MIN. NICKEL OVERALL.
 - 100 MICRO INCHES MIN. TIN IN SELECTED AREA OVER
50 MICRO INCHES MIN. NICKEL OVERALL.
 - PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION
 - THE ABOVE 14 CKT IS FOR ILLUSTRATION PURPOSE ONLY.
 - FOR PACKAGING OPTION PLEASE REFER TO THE TABLE.
 - IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE
 - RECOMMENDED PCB THICKNESS = 1.60±0.10mm
 - THE ABOVE CKT 14 IS FOR ILLUSTRATION PURPOSE ONLY
 - PRODUCT SPECIFICATION: PS-87920-019
 - PACKAGING SPECIFICATION: PK-89990-519
PK-89990-520

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:						molex	
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 659393		DRWN: ABABUPS		2021/03/26		CUSTOM HEADER	
				CHK'D: MRAMAKRISHNA		2021/03/30		APP'R: MRAMAKRISHNA		2021/03/30	
				INITIAL REVISION:		DRWN: KSEE		2004/11/30		DOCUMENT NUMBER	
				APP'R: SCLOW		2004/12/16		SD-87911-015		DOC TYPE	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		DOC PART	
						A3-SIZE		SERIES		REVISION	
						87911		MATERIAL NUMBER		CUSTOMER	
						SEE TABLE		GENERAL MARKET		SHEET NUMBER	
						1 OF 9					





PART IN TUBE ORIENTATION

PACKAGING OPTION PART NO.							DIMENSION				
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-0201	-----	-----	2	-----	1	2.54	----	5.84	2.29	1.52
-----	87911-0202	-----	-----	2	-----	2	2.54	----	5.84	2.29	1.52
-----	87911-0203	-----	-----	2	-----	3	2.54	----	5.84	2.29	1.52
-----	87911-0204	-----	-----	2	-----	4	2.54	----	5.84	2.29	1.52
-----	87911-0205	-----	-----	2	-----	5	2.54	----	5.84	2.29	1.52
-----	87911-0206	-----	-----	2	-----	6	2.54	----	5.84	2.29	1.52
-----	87911-0207	-----	-----	2	-----	1	2.54	----	5.80	3.60	1.81
-----	87911-0401	-----	-----	4	-----	1	5.08	2.54	5.84	2.29	1.52
-----	87911-0402	-----	-----	4	-----	2	5.08	2.54	5.84	2.29	1.52
-----	87911-0403	-----	-----	4	-----	3	5.08	2.54	5.84	2.29	1.52
-----	87911-0481	-----	-----	4	-----	4	5.08	2.54	5.84	2.29	1.52
-----	87911-0405	-----	-----	4	-----	5	5.08	2.54	5.84	2.29	1.52
-----	87911-0406	-----	-----	4	-----	6	5.08	2.54	5.84	2.29	1.52
87911-0407	-----	-----	-----	4	-----	1	5.08	2.54	8.13	2.79	2.61
87911-0408	-----	-----	-----	4	-----	2	5.08	2.54	8.13	2.79	2.61
87911-0409	-----	-----	-----	4	-----	3	5.08	2.54	8.13	2.79	2.61
-----	87911-0414	-----	-----	4	-----	1	5.08	2.54	5.80	3.60	1.81
-----	87911-0601	-----	-----	6	-----	1	7.62	5.08	5.84	2.29	1.52
-----	87911-0602	-----	-----	6	-----	2	7.62	5.08	5.84	2.29	1.52
-----	87911-0603	-----	-----	6	-----	3	7.62	5.08	5.84	2.29	1.52
-----	87911-0604	-----	-----	6	-----	4	7.62	5.08	5.84	2.29	1.52
-----	87911-0605	-----	-----	6	-----	5	7.62	5.08	5.84	2.29	1.52
-----	87911-0606	-----	-----	6	-----	6	7.62	5.08	5.84	2.29	1.52
87911-0607	-----	-----	-----	6	-----	1	7.62	5.08	8.13	2.79	2.61
87911-0608	-----	-----	-----	6	-----	2	7.62	5.08	8.13	2.79	2.61
87911-0609	-----	-----	-----	6	-----	3	7.62	5.08	8.13	2.79	2.61
87911-0614	-----	-----	-----	6	-----	2	7.62	5.08	9.60	5.00	2.61
87911-0615	-----	-----	-----	6	-----	2	7.62	5.08	10.83	5.00	1.72

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:						molex	
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 659393		DRWN: ABABUPS		2021/03/26		CUSTOM HEADER	
				CHK'D: MRAMAKRISHNA		2021/03/30		2.54MM DUAL ROW HEADER SINGLE WAFER, R/A			
				APPR: MRAMAKRISHNA		2021/03/30		PRODUCT CUSTOMER DRAWING			
				INITIAL REVISION:		DRWN: KSEE		2004/11/30		DOCUMENT NUMBER	
				APPR: SCLOW		2004/12/16		SD-87911-015		DOC TYPE DOC PART REVISION	
				ANGULAR TOL ± 3.0°		DRAWING		SERIES		CUSTOMER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		A3-SIZE		87911		SHEET NUMBER	
								SEE TABLE		GENERAL MARKET 2 OF 9	

PACKAGING OPTION PART NO.				DIMENSION							
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-0801	-----	-----	8	-----	1	10.16	7.62	5.84	2.29	1.52
-----	87911-0802	-----	-----	8	-----	2	10.16	7.62	5.84	2.29	1.52
-----	87911-0803	-----	-----	8	-----	3	10.16	7.62	5.84	2.29	1.52
-----	87911-0804	-----	-----	8	-----	4	10.16	7.62	5.84	2.29	1.52
-----	87911-0805	-----	-----	8	-----	5	10.16	7.62	5.84	2.29	1.52
-----	87911-0806	-----	-----	8	-----	6	10.16	7.62	5.84	2.29	1.52
-----	87911-0807	-----	-----	8	-----	1	10.16	7.62	8.13	2.79	2.61
-----	87911-0808	-----	-----	8	-----	2	10.16	7.62	8.13	2.79	2.61
-----	87911-0809	-----	-----	8	-----	3	10.16	7.62	8.13	2.79	2.61
-----	87911-0800	-----	-----	8	-----	1	10.16	7.62	6.10	2.79	2.29
-----	87911-0814	-----	-----	8	-----	1	10.16	7.62	5.80	3.60	1.81
-----	87911-1001	-----	-----	10	-----	1	12.70	10.16	5.84	2.29	1.52
-----	87911-1002	-----	-----	10	-----	2	12.70	10.16	5.84	2.29	1.52
-----	87911-1003	-----	-----	10	-----	3	12.70	10.16	5.84	2.29	1.52
-----	87911-1004	-----	-----	10	-----	4	12.70	10.16	5.84	2.29	1.52
-----	87911-1005	-----	-----	10	-----	5	12.70	10.16	5.84	2.29	1.52
-----	87911-1006	-----	-----	10	-----	6	12.70	10.16	5.84	2.29	1.52
-----	87911-1007	-----	-----	10	-----	1	12.70	10.16	8.13	2.79	2.61
-----	87911-1008	-----	-----	10	-----	2	12.70	10.16	8.13	2.79	2.61
-----	87911-1009	-----	-----	10	-----	3	12.70	10.16	8.13	2.79	2.61
-----	87911-1015	-----	-----	10	-----	5					
87911-1016	-----	-----	-----	10	-----	5	12.70	10.16	2.46	2.46	1.52
-----	87911-1017	-----	-----	10	-----	5	12.70	10.16	8.80	3.18	2.59
87911-1019	-----	-----	-----	10	-----	1	12.70	10.16	3.00	10.00	2.12
-----	87911-1201	-----	-----	12	-----	1	15.24	12.70	5.84	2.29	1.52
-----	87911-1202	-----	-----	12	-----	2	15.24	12.70	5.84	2.29	1.52
-----	87911-1203	-----	-----	12	-----	3	15.24	12.70	5.84	2.29	1.52
-----	87911-1204	-----	-----	12	-----	4	15.24	12.70	5.84	2.29	1.52
-----	87911-1205	-----	-----	12	-----	5	15.24	12.70	5.84	2.29	1.52
-----	87911-1206	-----	-----	12	-----	6	15.24	12.70	5.84	2.29	1.52
-----	87911-1207	-----	-----	12	-----	1	15.24	12.70	8.13	2.79	2.61
-----	87911-1208	-----	-----	12	-----	2	15.24	12.70	8.13	2.79	2.61
-----	87911-1209	-----	-----	12	-----	3	15.24	12.70	8.13	2.79	2.61
87911-1215	-----	-----	-----	12	-----	2	15.24	12.70	11.57	4.47	4.43

PACKAGING OPTION PART NO.				DIMENSION							
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-1401	-----	-----	14	-----	1	17.78	15.24	5.84	2.29	1.52
-----	87911-1402	-----	-----	14	-----	2	17.78	15.24	5.84	2.29	1.52
-----	87911-1403	-----	-----	14	-----	3	17.78	15.24	5.84	2.29	1.52
-----	87911-1404	-----	-----	14	-----	4	17.78	15.24	5.84	2.29	1.52
-----	87911-1405	-----	-----	14	-----	5	17.78	15.24	5.84	2.29	1.52
-----	87911-1406	-----	-----	14	-----	6	17.78	15.24	5.84	2.29	1.52
-----	87911-1407	-----	-----	14	-----	1	17.78	15.24	8.13	2.79	2.61
-----	87911-1408	-----	-----	14	-----	2	17.78	15.24	8.13	2.79	2.61
-----	87911-1409	-----	-----	14	-----	3	17.78	15.24	8.13	2.79	2.61
-----	87911-1600	-----	-----	16	-----	5	20.32	17.78	4.00	4.50	1.52
-----	87911-1601	-----	-----	16	-----	1	20.32	17.78	5.84	2.29	1.52
-----	87911-1602	-----	-----	16	-----	2	20.32	17.78	5.84	2.29	1.52
-----	87911-1603	-----	-----	16	-----	3	20.32	17.78	5.84	2.29	1.52
-----	87911-1604	-----	-----	16	-----	4	20.32	17.78	5.84	2.29	1.52
-----	87911-1605	-----	-----	16	-----	5	20.32	17.78	5.84	2.29	1.52
-----	87911-1606	-----	-----	16	-----	6	20.32	17.78	5.84	2.29	1.52
-----	87911-1607	-----	-----	16	-----	1	20.32	17.78	8.13	2.79	2.61
-----	87911-1608	-----	-----	16	-----	2	20.32	17.78	8.13	2.79	2.61
-----	87911-1609	-----	-----	16	-----	3	20.32	17.78	8.13	2.79	2.61
-----	87911-1614	-----	-----	16	-----	5	20.32	17.78	3.35	2.34	1.52
-----	87911-1615	-----	-----	16	-----	4	20.32	17.78	3.35	2.34	1.52
-----	-----	-----	87911-1617	16	CKT 3, 4, 7, 8 11 & 12	4	20.32	17.78	6.10	2.00	2.61
-----	87911-1801	-----	-----	18	-----	1	22.86	20.32	5.84	2.29	1.52
-----	87911-1802	-----	-----	18	-----	2	22.86	20.32	5.84	2.29	1.52
-----	87911-1803	-----	-----	18	-----	3	22.86	20.32	5.84	2.29	1.52
-----	87911-1804	-----	-----	18	-----	4	22.86	20.32	5.84	2.29	1.52
-----	87911-1805	-----	-----	18	-----	5	22.86	20.32	5.84	2.29	1.52
-----	87911-1806	-----	-----	18	-----	6	22.86	20.32	5.84	2.29	1.52
-----	87911-1807	-----	-----	18	-----	1	22.86	20.32	8.13	2.79	2.61
-----	87911-1808	-----	-----	18	-----	2	22.86	20.32	8.13	2.79	2.61
-----	87911-1809	-----	-----	18	-----	3	22.86	20.32	8.13	2.79	2.61

DIMENSION UNITS: mm SCALE: NTS				CURRENT REV DESC:							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 659393 DRWN: ABABUPS 2021/03/26 CHK'D: MRAMAKRISHNA 2021/03/30 APPR: MRAMAKRISHNA 2021/03/30							
4 PLACES ± ±				INITIAL REVISION:				PRODUCT CUSTOMER DRAWING			
3 PLACES ± ±				DRWN: KSEE 2004/11/30 APPR: SCLOW 2004/12/16				DOCUMENT NUMBER: SD-87911-015 DOC TYPE: PSD DOC PART: 001 REVISION: C3			
2 PLACES ± 0.2 ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION: 			
1 PLACE ± ±				DRAWING: A3-SIZE SERIES: 87911				MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 3 OF 9			
0 PLACES ± ±				ANGULAR TOL ± 3.0°							
DOCUMENT STATUS: P1 RELEASE DATE: 2021/03/30 04:03:52											

PACKAGING OPTION PART NO.				CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL				A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-2001	-----	-----	20	-----	1	25.40	22.86	5.84	2.29	1.52
-----	87911-2002	-----	-----	20	-----	2	25.40	22.86	5.84	2.29	1.52
-----	87911-2003	-----	-----	20	-----	3	25.40	22.86	5.84	2.29	1.52
-----	87911-2004	-----	-----	20	-----	4	25.40	22.86	5.84	2.29	1.52
-----	87911-2005	-----	-----	20	-----	5	25.40	22.86	5.84	2.29	1.52
-----	87911-2006	-----	-----	20	-----	6	25.40	22.86	5.84	2.29	1.52
-----	87911-2007	-----	-----	20	-----	1	25.40	22.86	8.13	2.79	2.61
-----	87911-2008	-----	-----	20	-----	2	25.40	22.86	8.13	2.79	2.61
-----	87911-2009	-----	-----	20	-----	3	25.40	22.86	8.13	2.79	2.61
-----	87911-2017 C2	-----	-----	20	CKT 5,6,7,8,13, 14,15 &16	4	25.40	22.86	7.85	2.90	2.08
-----	87911-2201	-----	-----	22	-----	1	27.94	25.40	5.84	2.29	1.52
-----	87911-2202	-----	-----	22	-----	2	27.94	25.40	5.84	2.29	1.52
-----	87911-2203	-----	-----	22	-----	3	27.94	25.40	5.84	2.29	1.52
-----	87911-2204	-----	-----	22	-----	4	27.94	25.40	5.84	2.29	1.52
-----	87911-2205	-----	-----	22	-----	5	27.94	25.40	5.84	2.29	1.52
-----	87911-2206	-----	-----	22	-----	6	27.94	25.40	5.84	2.29	1.52
-----	87911-2207	-----	-----	22	-----	1	27.94	25.40	8.13	2.79	2.61
-----	87911-2208	-----	-----	22	-----	2	27.94	25.40	8.13	2.79	2.61
-----	87911-2209	-----	-----	22	-----	3	27.94	25.40	8.13	2.79	2.61
-----	87911-2401	-----	-----	24	-----	1	30.48	27.94	5.84	2.29	1.52
-----	87911-2402	-----	-----	24	-----	2	30.48	27.94	5.84	2.29	1.52
-----	87911-2403	-----	-----	24	-----	3	30.48	27.94	5.84	2.29	1.52
-----	87911-2404	-----	-----	24	-----	4	30.48	27.94	5.84	2.29	1.52
-----	87911-2405	-----	-----	24	-----	5	30.48	27.94	5.84	2.29	1.52
-----	87911-2406	-----	-----	24	-----	6	30.48	27.94	5.84	2.29	1.52
-----	87911-2407	-----	-----	24	-----	1	30.48	27.94	8.13	2.79	2.61
-----	87911-2408	-----	-----	24	-----	2	30.48	27.94	8.13	2.79	2.61
-----	87911-2409	-----	-----	24	-----	3	30.48	27.94	8.13	2.79	2.61
-----	87911-2414	-----	-----	24	-----	5	30.48	27.94	3.35	2.34	1.52
-----	87911-2415	-----	-----	24	-----	4	30.48	27.94	3.35	2.34	1.52

PACKAGING OPTION PART NO.				CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL				A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-2601	-----	-----	26	-----	1	33.02	30.48	5.84	2.29	1.52
-----	87911-2602	-----	-----	26	-----	2	33.02	30.48	5.84	2.29	1.52
-----	87911-2603	-----	-----	26	-----	3	33.02	30.48	5.84	2.29	1.52
-----	87911-2604	-----	-----	26	-----	4	33.02	30.48	5.84	2.29	1.52
-----	87911-2605	-----	-----	26	-----	5	33.02	30.48	5.84	2.29	1.52
-----	87911-2606	-----	-----	26	-----	6	33.02	30.48	5.84	2.29	1.52
-----	87911-2607	-----	-----	26	-----	1	33.02	30.48	8.13	2.79	2.61
-----	87911-2608	-----	-----	26	-----	2	33.02	30.48	8.13	2.79	2.61
-----	87911-2609	-----	-----	26	-----	3	33.02	30.48	8.13	2.79	2.61
-----	87911-2610	-----	-----	26	-----	3	33.02	30.48	4.00	2.79	1.32
-----	87911-2801	-----	-----	28	-----	1	35.56	33.02	5.84	2.29	1.52
-----	87911-2802	-----	-----	28	-----	2	35.56	33.02	5.84	2.29	1.52
-----	87911-2803	-----	-----	28	-----	3	35.56	33.02	5.84	2.29	1.52
-----	87911-2804	-----	-----	28	-----	4	35.56	33.02	5.84	2.29	1.52
-----	87911-2805	-----	-----	28	-----	5	35.56	33.02	5.84	2.29	1.52
-----	87911-2806	-----	-----	28	-----	6	35.56	33.02	5.84	2.29	1.52
-----	87911-2807	-----	-----	28	-----	1	35.56	33.02	8.13	2.79	2.61
-----	87911-2808	-----	-----	28	-----	2	35.56	33.02	8.13	2.79	2.61
-----	87911-2809	-----	-----	28	-----	3	35.56	33.02	8.13	2.79	2.61
-----	87911-2810 C2	-----	-----	28	CKT 5,6,11&12	4	25.40	22.86	7.85	2.90	2.08
-----	87911-3001	-----	-----	30	-----	1	38.10	35.56	5.84	2.29	1.52
-----	87911-3002	-----	-----	30	-----	2	38.10	35.56	5.84	2.29	1.52
-----	87911-3003	-----	-----	30	-----	3	38.10	35.56	5.84	2.29	1.52
-----	87911-3004	-----	-----	30	-----	4	38.10	35.56	5.84	2.29	1.52
-----	87911-3005	-----	-----	30	-----	5	38.10	35.56	5.84	2.29	1.52
-----	87911-3006	-----	-----	30	-----	6	38.10	35.56	5.84	2.29	1.52
-----	87911-3007	-----	-----	30	-----	1	38.10	35.56	8.13	2.79	2.61
-----	87911-3008	-----	-----	30	-----	2	38.10	35.56	8.13	2.79	2.61
-----	87911-3009	-----	-----	30	-----	3	38.10	35.56	8.13	2.79	2.61

B

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:											
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 659393				CUSTOM HEADER 2.54MM DUAL ROW HEADER SINGLE WAFER, R/A							
				DRWN: ABABUPS 2021/03/26											
				CHK'D: MRAMAKRISHNA 2021/03/30				PRODUCT CUSTOMER DRAWING							
				APPR: MRAMAKRISHNA 2021/03/30											
				INITIAL REVISION:				DOCUMENT NUMBER SD-87911-015							
				DRWN: KSEE 2004/11/30											
				APPR: SCLOW 2004/12/16				DOC TYPE DOC PART REVISION PSD 001 C3							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		87911		SEE TABLE		GENERAL MARKET		4 OF 9	

PACKAGING OPTION PART NO.				DIMENSION							
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-4401	-----	-----	44	-----	1	55.88	53.34	5.84	2.29	1.52
-----	87911-4402	-----	-----	44	-----	2	55.88	53.34	5.84	2.29	1.52
-----	87911-4403	-----	-----	44	-----	3	55.88	53.34	5.84	2.29	1.52
-----	87911-4404	-----	-----	44	-----	4	55.88	53.34	5.84	2.29	1.52
-----	87911-4405	-----	-----	44	-----	5	55.88	53.34	5.84	2.29	1.52
-----	87911-4406	-----	-----	44	-----	6	55.88	53.34	5.84	2.29	1.52
-----	87911-4407	-----	-----	44	-----	1	55.88	53.34	8.13	2.79	2.61
-----	87911-4408	-----	-----	44	-----	2	55.88	53.34	8.13	2.79	2.61
-----	87911-4409	-----	-----	44	-----	3	55.88	53.34	8.13	2.79	2.61
-----	87911-4601	-----	-----	46	-----	1	58.42	55.88	5.84	2.29	1.52
-----	87911-4602	-----	-----	46	-----	2	58.42	55.88	5.84	2.29	1.52
-----	87911-4603	-----	-----	46	-----	3	58.42	55.88	5.84	2.29	1.52
-----	87911-4604	-----	-----	46	-----	4	58.42	55.88	5.84	2.29	1.52
-----	87911-4605	-----	-----	46	-----	5	58.42	55.88	5.84	2.29	1.52
-----	87911-4606	-----	-----	46	-----	6	58.42	55.88	5.84	2.29	1.52
-----	87911-4607	-----	-----	46	-----	1	58.42	55.88	8.13	2.79	2.61
-----	87911-4608	-----	-----	46	-----	2	58.42	55.88	8.13	2.79	2.61
-----	87911-4609	-----	-----	46	-----	3	58.42	55.88	8.13	2.79	2.61
-----	87911-4801	-----	-----	48	-----	1	60.96	58.42	5.84	2.29	1.52
-----	87911-4802	-----	-----	48	-----	2	60.96	58.42	5.84	2.29	1.52
-----	87911-4803	-----	-----	48	-----	3	60.96	58.42	5.84	2.29	1.52
-----	87911-4804	-----	-----	48	-----	4	60.96	58.42	5.84	2.29	1.52
-----	87911-4805	-----	-----	48	-----	5	60.96	58.42	5.84	2.29	1.52
-----	87911-4806	-----	-----	48	-----	6	60.96	58.42	5.84	2.29	1.52
-----	87911-4807	-----	-----	48	-----	1	60.96	58.42	8.13	2.79	2.61
-----	87911-4808	-----	-----	48	-----	2	60.96	58.42	8.13	2.79	2.61
-----	87911-4809	-----	-----	48	-----	3	60.96	58.42	8.13	2.79	2.61

PACKAGING OPTION PART NO.				DIMENSION							
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-5001	-----	-----	50	-----	1	63.50	60.96	5.84	2.29	1.52
-----	87911-5002	-----	-----	50	-----	2	63.50	60.96	5.84	2.29	1.52
-----	87911-5003	-----	-----	50	-----	3	63.50	60.96	5.84	2.29	1.52
-----	87911-5004	-----	-----	50	-----	4	63.50	60.96	5.84	2.29	1.52
-----	87911-5005	-----	-----	50	-----	5	63.50	60.96	5.84	2.29	1.52
-----	87911-5006	-----	-----	50	-----	6	63.50	60.96	5.84	2.29	1.52
-----	87911-5007	-----	-----	50	-----	1	63.50	60.96	8.13	2.79	2.61
-----	87911-5008	-----	-----	50	-----	2	63.50	60.96	8.13	2.79	2.61
-----	87911-5009	-----	-----	50	-----	3	63.50	60.96	8.13	2.79	2.61
-----	87911-5201	-----	-----	52	-----	1	66.04	63.50	5.84	2.29	1.52
-----	87911-5202	-----	-----	52	-----	2	66.04	63.50	5.84	2.29	1.52
-----	87911-5203	-----	-----	52	-----	3	66.04	63.50	5.84	2.29	1.52
-----	87911-5204	-----	-----	52	-----	4	66.04	63.50	5.84	2.29	1.52
-----	87911-5205	-----	-----	52	-----	5	66.04	63.50	5.84	2.29	1.52
-----	87911-5206	-----	-----	52	-----	6	66.04	63.50	5.84	2.29	1.52
-----	87911-5207	-----	-----	52	-----	1	66.04	63.50	8.13	2.79	2.61
-----	87911-5208	-----	-----	52	-----	2	66.04	63.50	8.13	2.79	2.61
-----	87911-5209	-----	-----	52	-----	3	66.04	63.50	8.13	2.79	2.61
-----	87911-5401	-----	-----	54	-----	1	68.58	66.04	5.84	2.29	1.52
-----	87911-5402	-----	-----	54	-----	2	68.58	66.04	5.84	2.29	1.52
-----	87911-5403	-----	-----	54	-----	3	68.58	66.04	5.84	2.29	1.52
-----	87911-5404	-----	-----	54	-----	4	68.58	66.04	5.84	2.29	1.52
-----	87911-5405	-----	-----	54	-----	5	68.58	66.04	5.84	2.29	1.52
-----	87911-5406	-----	-----	54	-----	6	68.58	66.04	5.84	2.29	1.52
-----	87911-5407	-----	-----	54	-----	1	68.58	66.04	8.13	2.79	2.61
-----	87911-5408	-----	-----	54	-----	2	68.58	66.04	8.13	2.79	2.61
-----	87911-5409	-----	-----	54	-----	3	68.58	66.04	8.13	2.79	2.61

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex			
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 659393				CUSTOM HEADER 2.54MM DUAL ROW HEADER SINGLE WAFER, R/A			
				DRWN: ABABUPS 2021/03/26							
4 PLACES ±				CHK'D: MRAMAKRISHNA 2021/03/30				PRODUCT CUSTOMER DRAWING			
3 PLACES ±				APPR: MRAMAKRISHNA 2021/03/30							
2 PLACES ± 0.2				INITIAL REVISION:				DOCUMENT NUMBER SD-87911-015			
1 PLACE ±				DRWN: KSEE 2004/11/30							
0 PLACES ±				APPR: SCLOW 2004/12/16				DOC TYPE PSD			
ANGULAR TOL ± 3.0°											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		SHEET NUMBER	
						A3-SIZE		87911		6 OF 9	
DOCUMENT STATUS		P1		RELEASE DATE		2021/03/30		04:03:52			

PACKAGING OPTION PART NO.				DIMENSION							
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-5601	-----	-----	56	-----	1	71.12	68.58	5.84	2.29	1.52
-----	87911-5602	-----	-----	56	-----	2	71.12	68.58	5.84	2.29	1.52
-----	87911-5603	-----	-----	56	-----	3	71.12	68.58	5.84	2.29	1.52
-----	87911-5604	-----	-----	56	-----	4	71.12	68.58	5.84	2.29	1.52
-----	87911-5605	-----	-----	56	-----	5	71.12	68.58	5.84	2.29	1.52
-----	87911-5606	-----	-----	56	-----	6	71.12	68.58	5.84	2.29	1.52
-----	87911-5607	-----	-----	56	-----	1	71.12	68.58	8.13	2.79	2.61
-----	87911-5608	-----	-----	56	-----	2	71.12	68.58	8.13	2.79	2.61
-----	87911-5609	-----	-----	56	-----	3	71.12	68.58	8.13	2.79	2.61
-----	87911-5801	-----	-----	58	-----	1	73.66	71.12	5.84	2.29	1.52
-----	87911-5802	-----	-----	58	-----	2	73.66	71.12	5.84	2.29	1.52
-----	87911-5803	-----	-----	58	-----	3	73.66	71.12	5.84	2.29	1.52
-----	87911-5804	-----	-----	58	-----	4	73.66	71.12	5.84	2.29	1.52
-----	87911-5805	-----	-----	58	-----	5	73.66	71.12	5.84	2.29	1.52
-----	87911-5806	-----	-----	58	-----	6	73.66	71.12	5.84	2.29	1.52
-----	87911-5807	-----	-----	58	-----	1	73.66	71.12	8.13	2.79	2.61
-----	87911-5808	-----	-----	58	-----	2	73.66	71.12	8.13	2.79	2.61
-----	87911-5809	-----	-----	58	-----	3	73.66	71.12	8.13	2.79	2.61
-----	87911-6001	-----	-----	60	-----	1	76.20	73.66	5.84	2.29	1.52
-----	87911-6002	-----	-----	60	-----	2	76.20	73.66	5.84	2.29	1.52
-----	87911-6003	-----	-----	60	-----	3	76.20	73.66	5.84	2.29	1.52
-----	87911-6004	-----	-----	60	-----	4	76.20	73.66	5.84	2.29	1.52
-----	87911-6005	-----	-----	60	-----	5	76.20	73.66	5.84	2.29	1.52
-----	87911-6006	-----	-----	60	-----	6	76.20	73.66	5.84	2.29	1.52
-----	87911-6007	-----	-----	60	-----	1	76.20	73.66	8.13	2.79	2.61
-----	87911-6008	-----	-----	60	-----	2	76.20	73.66	8.13	2.79	2.61
-----	87911-6009	-----	-----	60	-----	3	76.20	73.66	8.13	2.79	2.61

PACKAGING OPTION PART NO.				DIMENSION							
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-6201	-----	-----	62	-----	1	78.74	76.20	5.84	2.29	1.52
-----	87911-6202	-----	-----	62	-----	2	78.74	76.20	5.84	2.29	1.52
-----	87911-6203	-----	-----	62	-----	3	78.74	76.20	5.84	2.29	1.52
-----	87911-6204	-----	-----	62	-----	4	78.74	76.20	5.84	2.29	1.52
-----	87911-6205	-----	-----	62	-----	5	78.74	76.20	5.84	2.29	1.52
-----	87911-6206	-----	-----	62	-----	6	78.74	76.20	5.84	2.29	1.52
-----	87911-6207	-----	-----	62	-----	1	78.74	76.20	8.13	2.79	2.61
-----	87911-6208	-----	-----	62	-----	2	78.74	76.20	8.13	2.79	2.61
-----	87911-6209	-----	-----	62	-----	3	78.74	76.20	8.13	2.79	2.61
-----	87911-6401	-----	-----	64	-----	1	81.28	78.74	5.84	2.29	1.52
-----	87911-6402	-----	-----	64	-----	2	81.28	78.74	5.84	2.29	1.52
-----	87911-6403	-----	-----	64	-----	3	81.28	78.74	5.84	2.29	1.52
-----	87911-6404	-----	-----	64	-----	4	81.28	78.74	5.84	2.29	1.52
-----	87911-6405	-----	-----	64	-----	5	81.28	78.74	5.84	2.29	1.52
-----	87911-6406	-----	-----	64	-----	6	81.28	78.74	5.84	2.29	1.52
-----	87911-6407	-----	-----	64	-----	1	81.28	78.74	8.13	2.79	2.61
-----	87911-6408	-----	-----	64	-----	2	81.28	78.74	8.13	2.79	2.61
-----	87911-6409	-----	-----	64	-----	3	81.28	78.74	8.13	2.79	2.61
-----	87911-6601	-----	-----	66	-----	1	83.82	81.28	5.84	2.29	1.52
-----	87911-6602	-----	-----	66	-----	2	83.82	81.28	5.84	2.29	1.52
-----	87911-6603	-----	-----	66	-----	3	83.82	81.28	5.84	2.29	1.52
-----	87911-6604	-----	-----	66	-----	4	83.82	81.28	5.84	2.29	1.52
-----	87911-6605	-----	-----	66	-----	5	83.82	81.28	5.84	2.29	1.52
-----	87911-6606	-----	-----	66	-----	6	83.82	81.28	5.84	2.29	1.52
-----	87911-6607	-----	-----	66	-----	1	83.82	81.28	8.13	2.79	2.61
-----	87911-6608	-----	-----	66	-----	2	83.82	81.28	8.13	2.79	2.61
-----	87911-6609	-----	-----	66	-----	3	83.82	81.28	8.13	2.79	2.61

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex				
mm		NTS										
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 659393 DRWN: ABABUPS 2021/03/26 CHK'D: MRAMAKRISHNA 2021/03/30 APPR: MRAMAKRISHNA 2021/03/30				CUSTOM HEADER 2.54MM DUAL ROW HEADER SINGLE WAFER, R/A				
4 PLACES ±		±		INITIAL REVISION: DRWN: KSEE 2004/11/30 APPR: SCLOW 2004/12/16				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
3 PLACES ±		±						SD-87911-015		PSD	001	C3
2 PLACES ±		0.2 ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
1 PLACE ±		±						SEE TABLE		GENERAL MARKET		7 OF 9
0 PLACES ±		±		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER	
ANGULAR TOL ± 3.0°				A3-SIZE	87911	SEE TABLE		GENERAL MARKET		7 OF 9		

DOCUMENT STATUS	P1	RELEASE DATE	2021/03/30	04:03:52
-----------------	----	--------------	------------	----------

PACKAGING OPTION PART NO.				DIMENSION							
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-6801	-----	-----	68	-----	1	86.36	83.82	5.84	2.29	1.52
-----	87911-6802	-----	-----	68	-----	2	86.36	83.82	5.84	2.29	1.52
-----	87911-6803	-----	-----	68	-----	3	86.36	83.82	5.84	2.29	1.52
-----	87911-6804	-----	-----	68	-----	4	86.36	83.82	5.84	2.29	1.52
-----	87911-6805	-----	-----	68	-----	5	86.36	83.82	5.84	2.29	1.52
-----	87911-6806	-----	-----	68	-----	6	86.36	83.82	5.84	2.29	1.52
-----	87911-6807	-----	-----	68	-----	1	86.36	83.82	8.13	2.79	2.61
-----	87911-6808	-----	-----	68	-----	2	86.36	83.82	8.13	2.79	2.61
-----	87911-6809	-----	-----	68	-----	3	86.36	83.82	8.13	2.79	2.61
-----	87911-7001	-----	-----	70	-----	1	88.90	86.36	5.84	2.29	1.52
-----	87911-7002	-----	-----	70	-----	2	88.90	86.36	5.84	2.29	1.52
-----	87911-7003	-----	-----	70	-----	3	88.90	86.36	5.84	2.29	1.52
-----	87911-7004	-----	-----	70	-----	4	88.90	86.36	5.84	2.29	1.52
-----	87911-7005	-----	-----	70	-----	5	88.90	86.36	5.84	2.29	1.52
-----	87911-7006	-----	-----	70	-----	6	88.90	86.36	5.84	2.29	1.52
-----	87911-7007	-----	-----	70	-----	1	88.90	86.36	8.13	2.79	2.61
-----	87911-7008	-----	-----	70	-----	2	88.90	86.36	8.13	2.79	2.61
-----	87911-7009	-----	-----	70	-----	3	88.90	86.36	8.13	2.79	2.61
-----	87911-7201	-----	-----	72	-----	1	91.44	88.90	5.84	2.29	1.52
-----	87911-7202	-----	-----	72	-----	2	91.44	88.90	5.84	2.29	1.52
-----	87911-7203	-----	-----	72	-----	3	91.44	88.90	5.84	2.29	1.52
-----	87911-7204	-----	-----	72	-----	4	91.44	88.90	5.84	2.29	1.52
-----	87911-7205	-----	-----	72	-----	5	91.44	88.90	5.84	2.29	1.52
-----	87911-7206	-----	-----	72	-----	6	91.44	88.90	5.84	2.29	1.52
-----	87911-7207	-----	-----	72	-----	1	91.44	88.90	8.13	2.79	2.61
-----	87911-7208	-----	-----	72	-----	2	91.44	88.90	8.13	2.79	2.61
-----	87911-7209	-----	-----	72	-----	3	91.44	88.90	8.13	2.79	2.61



PACKAGING OPTION PART NO.				DIMENSION							
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-7401	-----	-----	74	-----	1	93.98	91.44	5.84	2.29	1.52
-----	87911-7402	-----	-----	74	-----	2	93.98	91.44	5.84	2.29	1.52
-----	87911-7403	-----	-----	74	-----	3	93.98	91.44	5.84	2.29	1.52
-----	87911-7404	-----	-----	74	-----	4	93.98	91.44	5.84	2.29	1.52
-----	87911-7405	-----	-----	74	-----	5	93.98	91.44	5.84	2.29	1.52
-----	87911-7406	-----	-----	74	-----	6	93.98	91.44	5.84	2.29	1.52
-----	87911-7407	-----	-----	74	-----	1	93.98	91.44	8.13	2.79	2.61
-----	87911-7408	-----	-----	74	-----	2	93.98	91.44	8.13	2.79	2.61
-----	87911-7409	-----	-----	74	-----	3	93.98	91.44	8.13	2.79	2.61
-----	87911-7601	-----	-----	76	-----	1	96.52	93.98	5.84	2.29	1.52
-----	87911-7602	-----	-----	76	-----	2	96.52	93.98	5.84	2.29	1.52
-----	87911-7603	-----	-----	76	-----	3	96.52	93.98	5.84	2.29	1.52
-----	87911-7604	-----	-----	76	-----	4	96.52	93.98	5.84	2.29	1.52
-----	87911-7605	-----	-----	76	-----	5	96.52	93.98	5.84	2.29	1.52
-----	87911-7606	-----	-----	76	-----	6	96.52	93.98	5.84	2.29	1.52
-----	87911-7607	-----	-----	76	-----	1	96.52	93.98	8.13	2.79	2.61
-----	87911-7608	-----	-----	76	-----	2	96.52	93.98	8.13	2.79	2.61
-----	87911-7609	-----	-----	76	-----	3	96.52	93.98	8.13	2.79	2.61
-----	87911-7801	-----	-----	78	-----	1	99.06	96.52	5.84	2.29	1.52
-----	87911-7802	-----	-----	78	-----	2	99.06	96.52	5.84	2.29	1.52
-----	87911-7803	-----	-----	78	-----	3	99.06	96.52	5.84	2.29	1.52
-----	87911-7804	-----	-----	78	-----	4	99.06	96.52	5.84	2.29	1.52
-----	87911-7805	-----	-----	78	-----	5	99.06	96.52	5.84	2.29	1.52
-----	87911-7806	-----	-----	78	-----	6	99.06	96.52	5.84	2.29	1.52
-----	87911-7807	-----	-----	78	-----	1	99.06	96.52	8.13	2.79	2.61
-----	87911-7808	-----	-----	78	-----	2	99.06	96.52	8.13	2.79	2.61
-----	87911-7809	-----	-----	78	-----	3	99.06	96.52	8.13	2.79	2.61

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex			
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 659393 DRWN: ABABUPS 2021/03/26 CHK'D: MRAMAKRISHNA 2021/03/30 APPR: MRAMAKRISHNA 2021/03/30				CUSTOM HEADER 2.54MM DUAL ROW HEADER SINGLE WAFER, R/A			
4 PLACES ±		±		INITIAL REVISION: DRWN: KSEE 2004/11/30 APPR: SCLOW 2004/12/16				PRODUCT CUSTOMER DRAWING			
3 PLACES ±		±									
2 PLACES ±		0.2 ±		DOCUMENT NUMBER SD-87911-015				DOC TYPE PSD			
1 PLACE ±		±									
0 PLACES ±		±		SHEET NUMBER 8 OF 9				DOC PART 001			
ANGULAR TOL ±		3.0°									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		CUSTOMER	
						A3-SIZE		87911		GENERAL MARKET	




PACKAGING OPTION PART NO.				DIMENSION							
TRAY	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL	CKT SIZE	VOID POSITION	PLATING TYPE	A	B	MATING END	SOLDER TAIL	E
									M	P	
-----	87911-8001	-----	-----	80	-----	1	101.60	99.06	5.84	2.29	1.52
-----	87911-8002	-----	-----	80	-----	2	101.60	99.06	5.84	2.29	1.52
-----	87911-8003	-----	-----	80	-----	3	101.60	99.06	5.84	2.29	1.52
-----	87911-8004	-----	-----	80	-----	4	101.60	99.06	5.84	2.29	1.52
-----	87911-8005	-----	-----	80	-----	5	101.60	99.06	5.84	2.29	1.52
-----	87911-8006	-----	-----	80	-----	6	101.60	99.06	5.84	2.29	1.52
-----	87911-8007	-----	-----	80	-----	1	101.60	99.06	8.13	2.79	2.61
-----	87911-8008	-----	-----	80	-----	2	101.60	99.06	8.13	2.79	2.61
-----	87911-8009	-----	-----	80	-----	3	101.60	99.06	8.13	2.79	2.61

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex							
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 659393 DRWN: ABABUPS 2021/03/26 CHK'D: MRAMAKRISHNA 2021/03/30 APPR: MRAMAKRISHNA 2021/03/30				CUSTOM HEADER 2.54MM DUAL ROW HEADER SINGLE WAFER, R/A							
4 PLACES ±		±		INITIAL REVISION: DRWN: KSEE 2004/11/30 APPR: SCLOW 2004/12/16				PRODUCT CUSTOMER DRAWING							
3 PLACES ±		±													
2 PLACES ±		0.2 ±		DOCUMENT NUMBER				SD-87911-015							
1 PLACE ±		±													
0 PLACES ±		±		DRAWING				SERIES		MATERIAL NUMBER		CUSTOMER			
ANGULAR TOL ±		3.0°													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		87911		SEE TABLE		GENERAL MARKET		9 OF 9	

DOCUMENT STATUS	P1	RELEASE DATE	2021/03/30	04:03:52
-----------------	----	--------------	------------	----------



0.64 ± 0.05
SQ TYP



NOTE:

1. MATERIAL:
HOUSING: - LCP, GLASS FILLED, UL94V-0
COLOR: BLACK
TERMINAL: - COPPER ALLOY, 0.64MM SQ
2. PLATING TYPE:
1) 15µin MIN. GOLD PLATE ON CONTACT AND
75µin MIN. TIN ON SOLDER TAIL OVER
50µin MIN. NICKEL OVERALL.
2) 30µin MIN. GOLD PLATE ON CONTACT AND
75µin MIN. TIN ON SOLDER TAIL OVER
50µin MIN. NICKEL OVERALL.
3) 100µin MIN. TIN OVERALL.
50µin MIN. NICKEL OVERALL.
3. THE ABOVE 14 CKT SHOWN IS FOR ILLUSTRATION ONLY..
4. PIN PUSHOUT FORCE: 1KG MIN. IN EITHER DIRECTION
5. PART TO BE PACKED IN TUBE.
6. IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE
7. RECOMMENDED PCB THICKNESS = 1.60±0.10mm
8. PRODUCT SPECIFICATION: PS-87920-019
9. PACKAGING SPECIFICATION: PK-89990-519

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT				molex		CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE	
mm		5:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH							
4 PLACES		±		±							
3 PLACES		±		±							
2 PLACES		± 0.2		±							
1 PLACE		±		±							
0 PLACES		±		±							
ANGULAR TOL		± 3.0°									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		87911		SEE TABLE	
								CUSTOMER		SHEET NUMBER	
								GENERAL MARKET		1 OF 4	



F
E
D
C
B
A

PART NO	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
				A	B	M	P	E
87911-0411	4	----	1	5.08	2.54	6.10	3.18	2.27
87911-0412	4	----	2	5.08	2.54	6.10	3.18	2.27
87911-0413	4	----	3	5.08	2.54	6.10	3.18	2.27
87911-0611	6	----	1	7.62	5.08	6.10	3.18	2.27
87911-0612	6	----	2	7.62	5.08	6.10	3.18	2.27
87911-0613	6	----	3	7.62	5.08	6.10	3.18	2.27
87911-0811	8	----	1	10.16	7.62	6.10	3.18	2.27
87911-0812	8	----	2	10.16	7.62	6.10	3.18	2.27
87911-0813	8	----	3	10.16	7.62	6.10	3.18	2.27
87911-0800	8	----	1	10.16	10.16	6.10	3.18	2.27
87911-1011	10	----	1	12.7	10.16	6.10	3.18	2.27
87911-1012	10	----	2	12.7	10.16	6.10	3.18	2.27
87911-1013	10	----	3	12.7	10.16	6.10	3.18	2.27
87911-1211	12	----	1	15.24	12.70	6.10	3.18	2.27
87911-1212	12	----	2	15.24	12.70	6.10	3.18	2.27
87911-1213	12	----	3	15.24	12.70	6.10	3.18	2.27
87911-1411	14	----	1	17.78	15.24	6.10	3.18	2.27
87911-1412	14	----	2	17.78	15.24	6.10	3.18	2.27
87911-1413	14	----	3	17.78	15.24	6.10	3.18	2.27
87911-1611	16	----	1	20.32	17.78	6.10	3.18	2.27
87911-1612	16	----	2	20.32	17.78	6.10	3.18	2.27
87911-1613	16	----	3	20.32	17.78	6.10	3.18	2.27
87911-1618	16	----	3	20.32	17.78	6.10	3.18	2.27

(B3)

PART NO	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
				A	B	M	P	E
87911-1811	18	—	1	22.86	20.32	6.10	3.18	2.27
87911-1812	18	—	2	22.86	20.32	6.10	3.18	2.27
87911-1813	18	—	3	22.86	20.32	6.10	3.18	2.27
87911-2011	20	—	1	25.40	22.86	6.10	3.18	2.27
87911-2012	20	—	2	25.40	22.86	6.10	3.18	2.27
87911-2013	20	—	3	25.40	22.86	6.10	3.18	2.27
87911-2211	22	—	1	27.94	25.40	6.10	3.18	2.27
87911-2212	22	—	2	27.94	25.40	6.10	3.18	2.27
87911-2213	22	—	3	27.94	25.40	6.10	3.18	2.27
87911-2411	24	—	1	30.48	27.94	6.10	3.18	2.27
87911-2412	24	—	2	30.48	27.94	6.10	3.18	2.27
87911-2413	24	—	3	30.48	27.94	6.10	3.18	2.27
87911-2611	26	—	1	33.02	30.48	6.10	3.18	2.27
87911-2612	26	—	2	33.02	30.48	6.10	3.18	2.27
87911-2613	26	—	3	33.02	30.48	6.10	3.18	2.27
87911-2614	26	—	3	33.02	30.48	6.10	3.18	2.27
87911-2811	28	—	1	35.56	33.02	6.10	3.18	2.27
87911-2812	28	—	2	35.56	33.02	6.10	3.18	2.27
87911-2813	28	—	3	35.56	33.02	6.10	3.18	2.27
87911-3011	30	—	1	38.10	35.56	6.10	3.18	2.27
87911-3012	30	—	2	38.10	35.56	6.10	3.18	2.27
87911-3013	30	—	3	38.10	35.56	6.10	3.18	2.27

(B3)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		1:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH							
4 PLACES		±		±							
3 PLACES		±		±							
2 PLACES		± 0.2		±							
1 PLACE		±		±							
0 PLACES		±		±							
ANGULAR TOL		± 3.0°									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		SHEET NUMBER	
						A3-SIZE		87911		2 OF 4	

DOCUMENT NUMBER: SD-87911-027
 DOC TYPE: PSD
 DOC PART: 001
 REVISION: B3

PART NO	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
				A	B	C	D	E
87911-3211	32	—	1	40.64	38.10	6.10	3.18	2.27
87911-3212	32	—	2	40.64	38.10	6.10	3.18	2.27
87911-3213	32	—	3	40.64	38.10	6.10	3.18	2.27
87911-3214	32	—	3	40.64	38.10	6.10	3.18	2.27
87911-3411	34	—	1	43.18	40.64	6.10	3.18	2.27
87911-3412	34	—	2	43.18	40.64	6.10	3.18	2.27
87911-3413	34	—	3	43.18	40.64	6.10	3.18	2.27
87911-3611	36	—	1	45.72	43.18	6.10	3.18	2.27
87911-3612	36	—	2	45.72	43.18	6.10	3.18	2.27
87911-3613	36	—	3	45.72	43.18	6.10	3.18	2.27
87911-3811	38	—	1	48.26	45.72	6.10	3.18	2.27
87911-3812	38	—	2	48.26	45.72	6.10	3.18	2.27
87911-3813	38	—	3	48.26	45.72	6.10	3.18	2.27
87911-4011	40	—	1	50.80	48.26	6.10	3.18	2.27
87911-4012	40	—	2	50.80	48.26	6.10	3.18	2.27
87911-4013	40	—	3	50.80	48.26	6.10	3.18	2.27
87911-4014	40	—	3	50.80	48.26	6.10	3.18	2.27
87911-4211	42	—	1	53.34	50.80	6.10	3.18	2.27
87911-4212	42	—	2	53.34	50.80	6.10	3.18	2.27
87911-4213	42	—	3	53.34	50.80	6.10	3.18	2.27
87911-4411	44	—	1	55.88	53.34	6.10	3.18	2.27
87911-4412	44	—	2	55.88	53.34	6.10	3.18	2.27
87911-4413	44	—	3	55.88	53.34	6.10	3.18	2.27
87911-4414	44	—	3	55.88	53.34	6.10	3.18	2.27

(B3)

(B3)

(B3)

PART NO	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
				A	B	M	P	E
87911-4611	46	—	1	58.42	55.88	6.10	3.18	2.27
87911-4612	46	—	2	58.42	55.88	6.10	3.18	2.27
87911-4613	46	—	3	58.42	55.88	6.10	3.18	2.27
87911-4811	48	—	1	60.96	58.42	6.10	3.18	2.27
87911-4812	48	—	2	60.96	58.42	6.10	3.18	2.27
87911-4813	48	—	3	60.96	58.42	6.10	3.18	2.27
87911-5011	50	—	1	63.50	60.96	6.10	3.18	2.27
87911-5012	50	—	2	63.50	60.96	6.10	3.18	2.27
87911-5013	50	—	3	63.50	60.96	6.10	3.18	2.27
87911-5211	52	—	1	66.04	63.50	6.10	3.18	2.27
87911-5212	52	—	2	66.04	63.50	6.10	3.18	2.27
87911-5213	52	—	3	66.04	63.50	6.10	3.18	2.27
87911-5411	54	—	1	68.58	66.04	6.10	3.18	2.27
87911-5412	54	—	2	68.58	66.04	6.10	3.18	2.27
87911-5413	54	—	3	68.58	66.04	6.10	3.18	2.27
87911-5611	56	—	1	71.12	68.58	6.10	3.18	2.27
87911-5612	56	—	2	71.12	68.58	6.10	3.18	2.27
87911-5613	56	—	3	71.12	68.58	6.10	3.18	2.27
87911-5811	58	—	1	73.66	71.12	6.10	3.18	2.27
87911-5812	58	—	2	73.66	71.12	6.10	3.18	2.27
87911-5813	58	—	3	73.66	71.12	6.10	3.18	2.27

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT				molex			
mm		1:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2005/01/17 APPR: SLOW 2005/01/25				CUSTOMER		REVISION	
								CUSTOMER		REVISION	
								CUSTOMER		REVISION	
								CUSTOMER		REVISION	
								CUSTOMER		REVISION	
4 PLACES ±		±		DOCUMENT NUMBER		DOC TYPE		DOC PART			
3 PLACES ±		±		SD-87911-027		PSD		001			
2 PLACES ±		0.2 ±						B3			
1 PLACE ±		±									
0 PLACES ±		±									
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87911			
				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
				SEE TABLE		GENERAL MARKET		3 OF 4			

F

E

D

C

B

A

PART NO	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
				A	B	M	P	E
87911-6011	60	—	1	76.20	73.66	6.10	3.18	2.27
87911-6012	60	—	2	76.20	73.66	6.10	3.18	2.27
87911-6013	60	—	3	76.20	73.66	6.10	3.18	2.27
87911-6211	62	—	1	78.74	76.20	6.10	3.18	2.27
87911-6212	62	—	2	78.74	76.20	6.10	3.18	2.27
87911-6213	62	—	3	78.74	76.20	6.10	3.18	2.27
87911-6411	64	—	1	81.28	78.74	6.10	3.18	2.27
87911-6412	64	—	2	81.28	78.74	6.10	3.18	2.27
87911-6413	64	—	3	81.28	78.74	6.10	3.18	2.27
87911-6611	66	—	1	83.82	81.28	6.10	3.18	2.27
87911-6612	66	—	2	83.82	81.28	6.10	3.18	2.27
87911-6613	66	—	3	83.82	81.28	6.10	3.18	2.27
87911-6811	68	—	1	86.36	83.82	6.10	3.18	2.27
87911-6812	68	—	2	86.36	83.82	6.10	3.18	2.27
87911-6813	68	—	3	86.36	83.82	6.10	3.18	2.27
87911-7011	70	—	1	88.90	86.36	6.10	3.18	2.27
87911-7012	70	—	2	88.90	86.36	6.10	3.18	2.27
87911-7013	70	—	3	88.90	86.36	6.10	3.18	2.27
87911-7211	72	—	1	91.44	88.90	6.10	3.18	2.27
87911-7212	72	—	2	91.44	88.90	6.10	3.18	2.27
87911-7213	72	—	3	91.44	88.90	6.10	3.18	2.27

PART NO	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
				A	B	M	P	E
87911-7411	74	—	1	93.98	91.44	6.10	3.18	2.27
87911-7412	74	—	2	93.98	91.44	6.10	3.18	2.27
87911-7413	74	—	3	93.98	91.44	6.10	3.18	2.27
87911-7611	76	—	1	96.52	93.98	6.10	3.18	2.27
87911-7612	76	—	2	96.52	93.98	6.10	3.18	2.27
87911-7613	76	—	3	96.52	93.98	6.10	3.18	2.27
87911-7811	78	—	1	99.06	96.52	6.10	3.18	2.27
87911-7812	78	—	2	99.06	96.52	6.10	3.18	2.27
87911-7813	78	—	3	99.06	96.52	6.10	3.18	2.27
87911-8011	80	—	1	101.60	99.06	6.10	3.18	2.27
87911-8012	80	—	2	101.60	99.06	6.10	3.18	2.27
87911-8013	80	—	3	101.60	99.06	6.10	3.18	2.27

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT				molex		
mm		1:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11		CUSTOM HEADER				
						C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE				
						PRODUCT CUSTOMER DRAWING				
						DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
						SD-87911-027		PSD	001	B3
				DRWN: YLQIAO 2005/01/17		MATERIAL NUMBER		CUSTOMER		
				APPR: SLOW 2005/01/25		SEE TABLE		GENERAL MARKET		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	SHEET NUMBER		
						A3-SIZE	87911	4 OF 4		

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:54:06
-----------------	----	--------------	------------	----------