

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018679](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Backplane Press-In Tool for 4-Pair by 6-Column Assemblies


Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above, See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Press-Fit Insertion Tool
UPC	884982578401
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
Application Tooling Documents [ATS-622018679, TM-622018799](#)



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per
-ED/01/2018 (15
January 2018)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Not Relevant

Not Relevant

Not Contained

Search Parts in this Series

[207123 Series](#)

Use With

[76155](#) Impact Backplane Signal Module Assembly, 4-Pair by 6 Column Assemblies

Application Tooling

FAQ

Description

Product #

Impact 100 Ohm 4 Pair Vertical Backplane Header, Unguided, Open Endwall, 6 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, MAPS, Lead Free	1712941308
Impact 100 Ohm 4 Pair Vertical Backplane Header, Unguided, Left Endwall, 6 Columns, 72 Circuits, Pin	1712941318

Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
MAPS, Lead Free
Impact 100 Ohm 1712941338
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
MAPS, Lead Free
Impact 100 Ohm 761551303
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 100 Ohm 761551304
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551305
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 100 Ohm 761551307
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551308
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761551316](#)
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761551317](#)
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761551318](#)
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761551323](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761551324](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761551325](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761551326](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,

72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551327

4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551328

4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin

Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551336

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
72 Circuits, Pin

Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551337

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
72 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551338

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
72 Circuits, Pin

Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761553304

4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 6 Columns,
72 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm	<u>761553307</u>
4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 6 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>761555304</u>
4 Pair Vertical Backplane Header, Right Guided, Open Endwall, 6 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact 100 Ohm	<u>761555307</u>
4 Pair Vertical Backplane Header, Right Guided, Open Endwall, 6 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>761557307</u>
4 Pair Vertical Backplane Header, Left Guided, Right Endwall, 6 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>761557308</u>
4 Pair Vertical Backplane Header, Left Guided, Right Endwall, 6 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	

This document was generated on 03/28/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION