

XS Touchpad Keyboard



Models may vary from the image shown

Small, flat and extremely robust

The "XS Touchpad Keyboard" (G84-5500) combines comfortable mouse control with compact dimensions. The mouse can be controlled easily and precisely via the large touchpad with two mouse keys.

Key Benefits

- High-quality touchpad with two mouse buttons for convenient control of the cursor
- High degree of reliability and precise keystroke feel thanks to individual keys with Gold Crosspoint contacts (Cherry ML technology)
- Ideal for continuous usage due to the long operating life in excess of 20 million key actuations per individual key
- Compact dimensions and very low overall build height, ideal for restricted spaces and for 19" applications
- Standardized measurements and installation dimensions of the complete XS product family - the keyboard can be adapted to every application
- Lightweight - for applications where every gram counts
- Plug & Play - can be used with the operating system's standard drivers
- Supports Code Set 3 and UnifiedPOS
- Fastening option for permanent installation
- Detachable plug-in feet for individually adjusting the tilt of the keyboard
- Freely programmable keys for even more time-saving operation

Technical Data:

Layout (country or language):

(possible country/layout versions, others available on request)

US English with EURO symbol

Housing Color:

Product dependant, see table "Models"

Key Color:

Product dependant, see table "Models"

Weight (product):

approx. 540 g / 1.19 lbs

Total Weight (with packaging):

approx. 670 g / approx. 1.48 lb

Cable Length:

approx. 2.50 m / approx. 8.2 ft

Storage Temperature:

-20°C to 60°C / -4° F to 140° F

Operating Temperature:

0°C to 60°C / 32° F to 140° F

Current Consumption:

typ. 35 mA

Interface:

Product dependant, see table "Models"

Product Approvals:

- cURus
- C-Tick
- VCCI
- CE
- FCC
- VDE
- BSMI



System Requirements:

Product dependant, see table "Models"

Box Contents:

- XS Touchpad Keyboard
- Operating instructions in hard copy
- 2 Plug-in feet

Dimensions (product):

approx. 374 x 139 x 18 mm / approx. 14.72 x 5.47 x .71 in

Packaging Dimensions:

approx. 393 x 196 x 33 mm / approx. 15.47 x 7.72 x 1.30 in

Reliability:

- MTBF > 4.9 mill. hours


Touchpad:

- Resolution: 1000 dpi
- Number of Keys: 2

Keyboard:

- Key Technology: ML
- Service life, standard key: > 20 million key operations

• Operation Characteristics: ML Pressure point (50cN)



- Inscription Technology: Laser
- Inscription Layout: Standard
- Number of Keys: 88

Packaging Unit:

- Number of products in the master package: 21
- Number of master packages per pallet: 12

Warranty:

2 years

Errors, technical changes and delivery delays may occur.
Technical information refers only to the specifications of the products. Features may differ from the information provided.

Models:

(possible country/layout versions, others available on request)

	Product Name	Order Number	Housing Color	Key Color	Interface	System Requirements
1	XS Touchpad Keyboard	G84-5500LPMEU-0	light grey	light grey	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse
2	XS Touchpad Keyboard	G84-5500LPMEU-2	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse
3	XS Touchpad Keyboard	G84-5500LUMEU-0	light grey	light grey	USB	USB connection
4	XS Touchpad Keyboard	G84-5500LUMEU-2	black	black	USB	USB connection