

ITEM	PART#	DESCRIPTION	QTY	UOM
A,B	701070005	SL WtW Conn SR WO/MtgE Opt A 6Ckt	2	PC
C	16020107	SL Male Crp Term 22-24awg Tin Reel	12	PC
D	--	PAPER PRINTED PAPER WHITE	1	PC

FROM	TO	DESCRIPTION	COLOR
A1	B6	1X22AWG DISC MPPE BK UL11028	BLACK
A2	B5	1X22AWG DISC MPPE BK UL11028	BLACK
A3	B4	1X22AWG DISC MPPE BK UL11028	BLACK
A4	B3	1X22AWG DISC MPPE BK UL11028	BLACK
A5	B2	1X22AWG DISC MPPE BK UL11028	BLACK
A6	B1	1X22AWG DISC MPPE BK UL11028	BLACK




TABLE			
PART NUMBER	L1	L2	TITLE
2162721060	50±3	13 REF	SL POSITIVE LOCK P-P 6CKT 50MM Sn
2162721061	100±5	38 REF	SL POSITIVE LOCK P-P 6CKT 100MM Sn
2162721062	150±8	63 REF	SL POSITIVE LOCK P-P 6CKT 150MM Sn
2162721063	300±10	138 REF	SL POSITIVE LOCK P-P 6CKT 300MM Sn
2162721064	600±10	288 REF	SL POSITIVE LOCK P-P 6CKT 600MM Sn

- NOTES**
- Cable assembly must pass 100% continuity and polarity test.
 - Connector view shown is from mating side.
 - Label text must be 2mm max. in height with Arial font.
 - Label must be wrapped in Flag type on a single cable.

MOLEX P/N
MOLEX
BATCH WK/YR
DETAIL A

REVISION			
DATE	REV	DESCRIPTION	CHANGER
2020/05/05	A	INITIAL RELEASE	ARAJU

FUNCTIONAL SYMBOLS $\frac{E}{A} = 0$ $\frac{E}{E} = 0$ $\frac{E}{P} = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:	
	DIMENSION UNITS: mm SCALE: NTS	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± °		
	4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ±	EC NO: 642836 DRWN: ARAJU 2020/05/05 CHK'D: RDESAI01 2020/08/05 APPR: RDESAI01 2020/08/05		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING: A4-SIZE	SERIES: 216272
MOLEX SEE TABLE		PRODUCT CUSTOMER DRAWING		
DOCUMENT NUMBER: 2162721060		DOC TYPE: PSD	DOC PART: 000	REVISION: A
MATERIAL NUMBER: SEE TABLE		CUSTOMER: GENERAL MARKET		SHEET NUMBER: 1 OF 1