

**RS 32 24VDC LD LP 2U****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Product image**

Similar to Illustration

**General ordering data**

Version	RS-SERIES, Relay module, Number of contacts: 2, CO contact AgNi 90/10, Rated control voltage: 24 V DC $\pm 10\%$ , Continuous current: 4 A, Screw connection
Order No.	<a href="#">8607480000</a>
Type	RS 32 24VDC LD LP 2U
GTIN (EAN)	4032248266982
Qty.	10 pc(s).
Delivery status	<b>This article will no longer be available in the future.</b>
Available until	2022-11-25

## RS 32 24VDC LD LP 2U

Weidmüller Interface GmbH & Co. KG  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

Net weight 50.3 g

## Temperatures

Storage temperature	-40 °C...60 °C	Operating temperature	-25 °C...40 °C
Operating temperature, min.	-25 °C	Operating temperature, max.	40 °C

## Control side

Rated control voltage	24 V DC $\pm$ 10 %	Status indicator	red LED
Protective circuit	Free-wheeling diode, Reverse polarity protection		

## Load side

Rated switching voltage	250 V AC	Continuous current	4 A
AC switching capacity (resistive), max.	1000 VA	Switch-off delay	$\leq$ 10 ms
Contact type	2 CO contact (AgNi 90/10)		

## General data

Colour orange

## Insulation coordination

Rated voltage	300	Dielectric strength to mounting rail	4 kV <sub>eff</sub> / 1 Min.
Impulse withstand voltage	4 kV (1.2/50 $\mu$ s)	Protection degree	IP20

## Connection data

Wire connection method Screw connection

## Classifications

ETIM 6.0	EC001437	ETIM 7.0	EC001437
ETIM 8.0	EC001437	ECLASS 9.0	27-37-16-01
ECLASS 9.1	27-37-16-01	ECLASS 10.0	27-37-16-01
ECLASS 11.0	27-37-16-01	ECLASS 12.0	27-37-16-01

## Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
SCIP	7b5ffb72-271d-4c73-8b09-bd0aaee3697a

## Approvals

Approvals



ROHS Conform

### RS 32 24VDC LD LP 2U

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Technical data

### Downloads

Catalogues

[Catalogues in PDF-format](#)