



## Data

### Technical data

Main product function	Operating tool
Number of spacings	1 -way

### Physical data

Depth	72 mm / 2.83 inches
Pin spacing	2.5/2.54 mm

### Mechanical Data

Suitable

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



for male and female connectors with CAGE CLAMP® connection

## Material Data

Color	green
Weight	2.9 g

## Commercial data

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	50 (1) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332534833
Customs tariff number	82055980000

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Downloads


### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 233-335	URL	Download
Operating tool; green		

## Installation Notes

Subject to changes. Please also observe the further product documentation!



Conductor termination via screwdriver (233-335) – parallel to CAGE CLAMP® actuation

Subject to changes. Please also observe the further product documentation!