



SW2015




Revision level			Revision Record	Changed	Date	Approved	Date
Drawing	State	Part					
01.2	Design Release		SEE ECN# 013740	CAS	2/21/2018	KAC	2/21/2018



PCP2X1



PCP3X1



PCP4X3

- NOTES:  
 1. ADHESIVE: HIGH BOND ACRYLIC  
 2. OPERATING TEMPERATURE -40°F TO +300°F (-40°C TO +149°C)  
 3. RoHS



GLOBAL PART NUMBER	PART NUMBER	TYPE	WIDTH	HEIGHT	COLOR	QUANTITY PER ROLL
PCP2X1-840W-WH	596-73833	PCP2X1	2.0	1.0	WHITE	3000
PCP3X1-840W-WH	596-73834	PCP3X1	3.0	1.0		3000
PCP4X3-840W-WH	596-73835	PCP4X3	4.0	3.0		1000

Material  
**POLYESTER**

Units: **inches**  
 Dimension without tolerances details to:  
 .xxxx = ±.0005  
 .xxx = ±.005  
 .xx = ±.01  
 .x = ±.03  
 None = ±.06  
 < = ±0.5°  
 Dimension Formatted in [mm]

The copyright of this drawing is reserved by HellermannTyton. It is issued on condition that it is not reproduced, copied, or disclosed to a third party, either wholly or in part, without the consent of HellermannTyton.

Drawn GRW 3/2/2017  
 Approved KAC 3/2/2017

**HellermannTyton**  
 North America  
 Email: corp@htamericas.com  
 Web: www.hellermann.tyton.com

Article/Type-No PCP\_  
 Title **THERMAL TRANSFER LABEL, HIGH BOND ADHESIVE**  
 Drawing-No PRODUCTION : Phase  
**17-0705-001-CSU**

Scale  
 Project Number PRP 17-0705  
 Format AH  
 Sheet 1/1