Mounting Option In-Line Card Guides	Contact Detail PC Tail .046x.013(1.17x0.33) - Tail LG=.213(5.41) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing	THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MAST	TER.	ISSUE NUMBER ORIGINAL (1
0.156[3.96]	6.092 [154.74] ————————————————————————————————————		SECT	ION A-A
			.175 [4.45] Point of Contact (FROM BTM OF SLOT)	
0.473 [12.01]	6.834[173.58]	to .0	d Slot Accepts .054 [1.37] )70 [1.78] Thick P.C. Board	
See Accompanying Pages f		_	ACAD REFERENCE NO.  DRAWN: J.LEE  CHECKED:  SCALE: NTS	307 ENG MASTEI DATE: AUG. 11/09 DATE: SHEET 1 OF 3
Mounting Options		NTO, ONTARIO  ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED	DRAWING NUMBER	ISSUE

CANADA

YOUR CONNECTION TO QUALITY & SERVICE

OR USED AS THE BASIS FOR THE

WITHOUT WRITTEN PERMISSION.

MANUFACTURE OR SALE OF APPARATUS

DRAWING NUMBER

307 Assembly

ISSUE



