






REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
C		ECO-20-005660: DEFAULT TOL/PLT CHANGE	20MAY2020	A.L	H.L



		HSG COLOR				
		BLACK	NATURAL			
BLACK	Y	3	30	61.8	220	
	N			66.8	240	
	Y			61.8	220	
	N		75	56.8	200	
			70	51.8	180	
				49.3	170	
				46.8	160	
				44.3	150	
				41.8	140	
		3	30	70	36.8	120
NATURAL		5	50	43	31.8	
				29.3	90	
				26.8	80	
				24.3	70	
				21.8	60	
				19.3	50	
				16.8	40	
	N	5	50	43	14.3	30
	Y	3	30		66.8	240
	Y				61.8	220
N			75	56.8	200	
			70	51.8	180	
				49.3	170	
				46.8	160	
				44.3	150	
				41.8	140	
	3	30	70	36.8	120	
	5	50	43	31.8	100	
				29.3	90	
				26.8	80	
				24.3	70	
				21.8	60	
				19.3	50	
				16.8	40	
N	5	50	43	14.3	30	


THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN D.LIU	120CT05	TE Connectivity Ltd. HARD TRAY ASSY FH 0.5BTB CONNECTOR REC 4H WITH G-CONT. AND CAP
CHK T.FUTATSUGI	120CT05	
APVD W.KODAMA	120CT05	
PRODUCT SPEC 108-5560		
APPLICATION SPEC		NAME
WEIGHT		SIZE A3
CUSTOMER DRAWING		CAGE CODE 00779
		DRAWING NO C=5353606
		RESTRICTED TO
		SCALE 1:2
		SHEET 1 OF 5
		REV C

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
MM	
0 PLC	± 0.25
1 PLC	± 0.15
2 PLC	± 0.10
3 PLC	± 0.05
4 PLC	± 0.0250
ANGLES	± 3'

MATERIAL	FINISH
1-	2-





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




19.55	23	240
17.05	↑	220
14.55		200
12.05		180
10.8		170
9.55		160
8.3		150
7.05		140
4.55		120
2.05	↓	100
0.8	23	90
4.4	13.3	80
4.4	10.8	70
1.9	13.3	60
1.9	10.8	50
1.75	13.3	40
1.75	10.8	30
Q	P	POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TE TE Connectivity Ltd.		
DIMENSIONS: MM		CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	HARD TRAY ASSY		
0 PLC ± -		PRODUCT SPEC	FH 0.5BTB CONNECTOR		
1 PLC ± -		APPLICATION SPEC	REC 4H WITH G-CONT. AND CAP		
2 PLC ± -		WEIGHT	SIZE	CAGE CODE	DRAWING NO
3 PLC ± -		CUSTOMER DRAWING	A3	00779	G=5353606
4 PLC ± -			SCALE	SHEET	REV
ANGLES ± -			4:1	2 OF 5	C
MATERIAL	FINISH	RESTRICTED TO			

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



SECT. M-M
(GRAND POSITION)
(SCALE 8:1)



SECT. N-N
(SIGNAL POSITION)
(SCALE 8:1)

NOTES

- ① MATERIAL: HOUSING : HIGH TEMP THERMO PLASTIC UL94V-0
CONTACT : COPPER ALLOY
SOLDER PEG : COPPER ALLOY
- ② FINISH: MEETS THE PERFORMANCE REQUIREMENTS
OF PRODUCT SPECIFICATION 108-5560
SOLDER TAIL OF SIGNAL & GROUND CONTACTS : GOLD FLASH;
SOLDER PEG : TIN OVER NI
- ③ THIS POSITION IS GROUND CIRCUIT.
- ④ THIS PRODUCT WAS COATED BY ANTI-FLUX-PENETRATION AGENT.
- ⑤ NO. OF CIRCUIT (DEPEND ON CONNECTOR POS).


64.5	62.7	66.8	62.1	59.5	240
59.5	57.7	61.8	57.1	54.5	220
54.5	52.7	56.8	52.1	49.5	200
49.5	47.7	51.8	47.1	44.5	180
47	45.2	49.3	44.6	42	170
44.5	42.7	46.8	42.1	39.5	160
42	40.2	44.3	39.6	37	150
39.5	37.7	41.8	37.1	34.5	140
34.5	32.7	36.8	32.1	29.5	120
29.5	27.7	31.8	27.1	24.5	100
27	25.2	29.3	24.6	22	90
24.5	22.7	26.8	22.1	19.5	80
22	20.2	24.3	19.6	17	70
19.5	17.7	21.8	17.1	14.5	60
17	15.2	19.3	14.6	12	50
14.5	12.7	16.8	12.1	9.5	40
12	10.2	14.3	9.6	7	30
L	K	H	G	F	POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN	TE Connectivity Ltd. NAME HARD TRAY ASSY FH 0.5BTB CONNECTOR REC 4H WITH G-CONT. AND CAP
	0 PLC ± -	CHK	
	1 PLC ± -	APVD	
MATERIAL	2 PLC ± -	PRODUCT SPEC	
	3 PLC ± -	APPLICATION SPEC	SIZE
	4 PLC ± -	WEIGHT	CAGE CODE
	ANGLES ± -	CUSTOMER DRAWING	DRAWING NO
	FINISH		RESTRICTED TO

SCALE 4:1 SHEET 3 OF 5 REV C

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -	DWN CHK APVD PRODUCT SPEC APPLICATION SPEC WEIGHT CUSTOMER DRAWING	TE Connectivity Ltd. NAME HARD TRAY ASSY FH 0.5BTB CONNECTOR REC 4H WITH G-CONT. AND CAP
MATERIAL	FINISH	SIZE A3	CAGE CODE 00779
		DRAWING NO C=5353606	RESTRICTED TO
		SCALE 4:1	SHEET 5 OF 5
			REV C