


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.














NOTES:

MATERIAL:

.X ±0.25

.XX ±0.13 .XXX ±0.05

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 30µ GOLD PLATING

OPERATING TEMPERATURE:

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


	SW REFERENCE NO.: 627 COMBO ASSEMBLY			
COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
TORONTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627W11V	V1624-4ND	ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W11W	V1624-4ND	1



COMPLIANT


THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05

33.30





5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



ale/Female



ale/Female

16.62

ISSUE

1

			15.85 15.85 1.32 15.85 1.32 15.85 15.8		
		11W1	Male/Female		27W2 Male
47.05 23.03 a 14.48 b 25.08 5 23.03 a 5 2 5 2 5 2 5 2 5 2 5 2 5 2 5 2 5 2 5	8W8 Female 53.50 53.50 53.50 72.43 72.43 72.43 72.43 72.43 72.43 72.47		33.30 16.66 9.70 4.44 9.70 4.44 4.44 4.44 5.70		
1	Annali Arturat	17W2	Male/Female		21W1 Male
CURRENT RATINO 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G/ΦA	244			1 291- 291-
				SW REFE	RENCE NO .:
	COMBIN	ATION	D-SUB	DRAWN:	C.B
				CHECKED	D:
ERIES FULLY CONFORMS TO		с	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE:	N.T.S



THIS SERIES THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

			SW REFERENCE NO .:	627 C	OMBO AS	SEMBLY	
C	COMBINATION	D-SUB	DRAWN: C.B		DATE:	JAN. 01/2	:019
			CHECKED:		DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S		SHEET	3 OF	= 4
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER:	627W11V	V1624-4N	D	ISS
YOUR CONNECTION TO QUALITY & SERVICE		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	627W11V	V1624-4N	D	1

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male











36W4 Female



13W3 Male










30.50 20.70 16,62 13.72 15.24 6.74 2.77


13W6 Male



43W2 Male








43W2 Female

47W1 Female




17W5 Male






2.77







		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4
DN DIRECTIVES S COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627W11	W1624-4ND	ISSUE
			PART NUMBER: 627W11	W1624-4ND	1



THIS SERIES FULLY CO THE EUROPEAN UNION 2011/65/EU FOR RoHS C





.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female

