



# ARMOR

## *Ruggedized Backshell Systems*

ARMOR D-Sub backshells are designed for rugged / robust applications including military, industrial, and aerospace. Featuring an all metal die cast housing, these backshells offer high reliability performance for the most challenging design applications.

### FEATURES & BENEFITS

- Available in 5 industry standard sizes  
(Standard: 9, 15, 25, 37, 50 | High Density: 15, 26, 44, 62, 78)
- Perimeter sealing lips for secure assembly
- Die Cast metal shells provide excellent EMI/RFI shielding
- Plated with high quality nickel finish
- Available in a variety of cable entries
- Compression or Mechanical strain reliefs
- Various mating hardware available




[http:// www.norcomp.net](http://www.norcomp.net)

# NORCOMP



## Ruggedized Backshell Systems

- |   |                              |
|---|------------------------------|
| <b>952 Series</b> - 180°                    | <b>970 Series</b> - 180°     |
| <b>953 Series</b> - 35°                     | <b>971 Series</b> - 35°      |
| <b>954 Series</b> - 45°                     | <b>979 Series</b> - 45°      |
| <b>955 Series</b> - 180°/30°                | <b>981 Series</b> - 180°/30° |
| <b>959 Series</b> - New Dual 45°            | <b>994 Series</b> - 180°     |
| <b>975M Series</b> - New - 3 Way - 180°/30° |                              |



# SEAL-D

## Innovative IP Performance

**Standard Density D**      **High Density D**      **POWER-D / SEAL-D®**

- |                          |                          |                           |
|--------------------------|--------------------------|---------------------------|
| <b>671 Series</b> - IP66 | <b>681 Series</b> - IP66 | <b>680S Series</b> - IP67 |
| <b>682 Series</b> - IP66 | <b>780 Series</b> - IP67 | <b>681S Series</b> - IP67 |
| <b>772 Series</b> - IP67 | <b>781 Series</b> - IP67 | <b>684S Series</b> - IP67 |
| <b>773 Series</b> - IP67 |                          |                           |



# POWER-D

## Peak Capacity Performance

- |                                     |                                       |
|-------------------------------------|---------------------------------------|
| <b>680M Series</b> - Power / Signal | <b>682M Series</b> - Coaxial / Signal |
| <b>681M Series</b> - Power / Signal | <b>683M Series</b> - Coaxial / Signal |
| <b>684M Series</b> - Power / Signal | <b>685M Series</b> - Coaxial / Signal |



# M SERIES

## Metal Shell Circular Connectors

**M5 Series**                      **M8 Series**                      **M12 Series**

- IP67/68 - Full metal shells for EMI/RFI shielding
- Solder Cup, Vertical and Right Angle board mount options
- Cable mount available loose piece or as pre-made cables
- Up to 5 amp contact rating / -40C to +85C temp. range



# QUIK-LOQ

## Push Pull Connector Systems

**IP50 Rated**

**IP67/68 Rated**

- |                                       |                                      |
|---------------------------------------|--------------------------------------|
| <b>820B Series</b> - 9mm   2-9 Pins   | <b>820K Series</b> - 14mm   2-9 Pins |
| <b>821B Series</b> - 12mm   2-26 Pins | <b>821K Series</b> - 16mm   2-7 Pins |
| <b>822B Series</b> - 15mm   2-14 Pins | <b>822K Series</b> - 20mm   2-6 Pins |



*Ruggedized Solutions  
for Harsh Environments*

*...and applications  
requiring rugged,  
reliable performance.*

**For More Information**

www.norcomp.net  
800-849-4450

