



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	SW REFERENCE NO.: 628 COMBO ASSEMBLY				
COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019			
	CHECKED:	DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-36W	4224-1TC	ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-36W	4224-1TC	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. 0 FOR PLATING



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

23.53


3W3 / 3WK3

8W8 Male

5W1 Male/Female


7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

628-36W4224-1TC

OF 4

ISSUE

1

↓↓_₽38_] ↓_₽38_]	Ψ				
			11W	1 Male/Female	
	8W8 Fem	ale			
47.05 23.03 3 14.49 0 0 0 0 0 0 0 0 0 0 0 0 0	÷				
CURRENT RATING			17W.	2 Male/Female	
10A / 2.2	JIΨA			47.00	
20A / 3.3 30A / 3.7 40A / 4.2			2.04		
					SW F
		COMBINATION D-SUB			DRA
					CHE
ERIES FULLY CONFORMS TO		EDAC I	NC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCA
JROPEAN UNION DIRECTIVES			ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED	DRA

YOUR CONNECTION TO QUALITY & SERVICE

628 COMBO ASSEMBLY REFERENCE NO .: AWN: C.B DATE: JAN. 01/2019 IECKED: DATE: SHEET 3 ALE: N.T.S 628-36W4224-1TC DRAWING NUMBER: OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS CANADA

PART NUMBER:



63.50

31.75

WITHOUT WRITTEN PERMISSION.

THIS SEF THE EURC 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male










36W4 Female



13W3 Male











13W6 Male



43W2 Male






17W5 Female

.XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female





47W1 Female




17W5 Male


COMPLIANT











		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20)19
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-36W4224-1TC		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-36W	4224-1TC	1