

6

5


4

3



2

1

FRONT VIEW - FEMALE



- 1 - DRAIN
- 2 - BROWN
- 3 - BLUE



NOTES:

MATERIALS:

- MOLDED BODY: PVC, YELLOW
- COUPLING NUT: ZINC DIECAST, BLACK E-COAT
- CONTACTS: GOLD/NICKEL OVER COPPER ALLOY
- MALE INSERT: NYLON, BLACK
- O-RING: NITRILE, RED

CABLE:

- JACKET: PVC, YELLOW
- CONDUCTOR: #22/2 + DRAIN
- OVERALL DIAMETER: 0.223" ± 0.010

ELECTRICAL:

- CURRENT RATING: 4AMP MAX
- VOLTAGE RATING: 250V

MECHANICAL:

- TEMPERATURE: -20° TO 105°C
- PROTECTION: IP67

CUSTOMER PRODUCTION APPROVAL
 APPROVED BY: _____
 DATE: _____
 MUST BE SIGNED AND RETURNED BEFORE
 PRODUCTION WILL BEGIN.

RESTRICTED SALES DRAWING

xRPM A20105459 EC NO: WEU2010-0107 DRWN: LHARTMAN 10/22/09 CHKD: TWOLDEGE APPR: JFMURPHY 2009/11/04 REV DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	$\nabla=0$ $\nabla C=0$	mm	INCH	IN/MM	1:1	INCH		
		4 PLACES ±---	±---	DRAWN BY DATE	TITLE			
		3 PLACES ±---	±---	CHECKED BY DATE	MICRO CHANGE PORTABLE			
	2 PLACES ±---	±---	APPROVED BY DATE	3 POLE FEMALE 90				
	1 PLACE ±---	±---	JFMURPHY 2009/11/04	#22/2 + DRAIN YELLOW PVC				
		ANGULAR ±1/2°	MATERIAL NO.	MOLEX INCORPORATED				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	1200721023	DOCUMENT NO. SD-120072-008				
			SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
				SHEET NO. 1 OF 1				

6

5

4

3

2

1