

MXMAG GENERAL MARKET TAPE AND REEL PACKAGING SPECIFICATION

1.0 SCOPE.....	2
2.0 PRODUCT DESCRIPTION	2
3.0 PURPOSE.....	2
4.0 PROCEDURE	3
4.1 GENERAL REQUIREMENTS.....	3
4.2 PACKING INSTRUCTIONS.....	3
4.2.1 REEL	3
4.3 QUANTITIES.....	5
4.4 PALLETISATION.....	5
4.4.1 CARTON CLOSURE	5
4.4.2 PALLET CONFIGURATION FOR CARTONS	6
4.5 LABELLING.....	7

REVISION:	ECM INFORMATION:	TITLE:			SHEET No.
C	<u>EC No:</u> 626548 <u>DATE:</u> 2019/11/20	MXMAG TAPE AND REEL PACKAGING SPECIFICATION			1 of 7
DOCUMENT NUMBER:	DOC TYPE:	DOC PART:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:
934620002	PS	K	BPMURPHY	DBYRNES	DBYRNES
TEMPLATE FILENAME: PACKAGING_SPEC[SIZE_A4](V.3).DOC					

1.0 SCOPE

The scope of this document is to outline the packaging method for Molex MXMag Connectors that are packaged in tape and reels. See table for relevant part numbers.

2.0 PRODUCT DESCRIPTION

The MXMag magnetic connector offers a simple solution for integrating Ethernet magnetic and the RJ-45 connector interface into one integrated package with guaranteed signal integrity, Fast and Gigabit Ethernet, common mode termination and EMI shielding.

The connector will be packaged in tape and reels, relevant series numbers are outlined in Table 1.

Series Number		
93753	93765	93853
93754	93766	93854
93755	93767	93857
93756	93768	93858
93757	93769	93861
93758	93770	93862
93759	93771	93865
93760	93772	93866
93761	93773	93869
93762	93774	93870
93763	93775	93873
93764	93776	93874
94011	94043	

Table 1: MXMag Series Numbers for Tape and Reel Options

3.0 PURPOSE

The purpose of this specification is to ensure that all MXMag connectors shipped from Molex remain damage free and in a manner which ensures ease of handling, storage and distribution.

REVISION: C	ECM INFORMATION: EC No: 626548 DATE: 2019/11/20	TITLE: MXMAG TAPE AND REEL PACKAGING SPECIFICATION			SHEET No. 2 of 7
DOCUMENT NUMBER: 934620002	DOC TYPE: PS	DOC PART: K	CREATED / REVISED BY: BPMURPHY	CHECKED BY: DBYRNES	APPROVED BY: DBYRNES
TEMPLATE FILENAME: PACKAGING_SPEC[SIZE_A4](V.3).DOC					

4.0 PROCEDURE

4.1 GENERAL REQUIREMENTS

- The recommended carton box closure is tape, and the shipping weight for a carton box should not exceed 15kgs.
- Minimum shipping quantity is one carton box.

4.2 PACKING INSTRUCTIONS

4.2.1 REEL

The MXMag connectors are packaged in black volume conductive polystyrene tape and covered with transparent cover tape.

The tape is wound on a reel and the reels are placed in a bag. Four bags of desiccant are put inside the plastic bag.

The bag is secured with packaging tape and the bag is packed in the carton.

Component Size	Blister Tape Number	Reel Number	Transparent Cover Tape Number	Plastic Bag	Desiccant	Cardboard Carton
0.85"	990449057	477995375	990445016	477995009	887962333	859989061
1"	990449058					
Quantity	7	7	7	1	4	1

Table 2: Tape and Reel Component Part Numbers

REVISION: C	ECM INFORMATION: EC No: 626548 DATE: 2019/11/20	TITLE: MXMAG TAPE AND REEL PACKAGING SPECIFICATION				SHEET No. 3 of 7
DOCUMENT NUMBER: 934620002	DOC TYPE: PS	DOC PART: K	CREATED / REVISED BY: BPMURPHY	CHECKED BY: DBYRNES	APPROVED BY: DBYRNES	




Figure 1. MXMag 0.85"/1" Tape & Reel Configuration

REVISION: C	ECM INFORMATION: EC No: 626548 DATE: 2019/11/20	TITLE: MXMAG TAPE AND REEL PACKAGING SPECIFICATION			SHEET No. 4 of 7
DOCUMENT NUMBER: 934620002	DOC TYPE: PS	DOC PART: K	CREATED / REVISED BY: BPMURPHY	CHECKED BY: DBYRNES	APPROVED BY: DBYRNES

4.3 QUANTITIES

VERSION	QUANTITY				
	COMPONENTS PER REELS	REELS PER CARTON	COMPONENTS PER CARTON	CARTONS PER PALLET	COMPONENTS PER PALLET
0.85" & 1"	107	7	749	18	13482

VERSION	QUANTITY OF CAVITIES PER REEL	NO OF EMPTY CAVITIES	
		TRAILER SIDE	LEADER SIDE
0.85" & 1"	128	6	15

Table 3: Component Quantities per Reel, Carton and Pallet

4.4 PALLETISATION

4.4.1 CARTON CLOSURE

Standard carton closure is Tape.

A Standard Molex Label is placed on Carton as shown in Figure 2.



Figure 2: Box packed and labeled.

REVISION: C	ECM INFORMATION: EC No: 626548 DATE: 2019/11/20	TITLE: MXMAG TAPE AND REEL PACKAGING SPECIFICATION				SHEET No. 5 of 7
DOCUMENT NUMBER: 934620002	DOC TYPE: PS	DOC PART: K	CREATED / REVISED BY: BPMURPHY	CHECKED BY: DBYRNES	APPROVED BY: DBYRNES	

4.4.2 PALLET CONFIGURATION FOR CARTONS

18 cartons per pallet.

Note: stack dimensions are to be confirmed

Final pallet closure to be confirmed.




Figure 3: Proposed Pallet for Shipping.

REVISION: C	ECM INFORMATION: EC No: 626548 DATE: 2019/11/20	TITLE: MXMAG TAPE AND REEL PACKAGING SPECIFICATION				SHEET No. 6 of 7
DOCUMENT NUMBER: 934620002	DOC TYPE: PS	DOC PART: K	CREATED / REVISED BY: BPMURPHY	CHECKED BY: DBYRNES	APPROVED BY: DBYRNES	
TEMPLATE FILENAME: PACKAGING_SPEC[SIZE_A4](V.3).DOC						

4.5 LABELLING

A label is placed on each reel and on each carton, see Figure 4 below for an example of a label. The carton label measures 120 mm x 76.2 mm.



Figure 4: Generic Molex Label, Part Numbers, Quantities and Description Will Vary

REVISION: C	ECM INFORMATION: EC No: 626548 DATE: 2019/11/20	TITLE: MXMAG TAPE AND REEL PACKAGING SPECIFICATION	SHEET No. 7 of 7
DOCUMENT NUMBER: 934620002	DOC TYPE: PS	DOC PART: K	CREATED / REVISED BY: BPMURPHY
		CHECKED BY: DBYRNES	APPROVED BY: DBYRNES