

TECHNICAL DATA SHEET

Part#: 2A-SA



Tweezers - Straight Tapered Flat Point - ★★★ - Anti-Mag. SS

The 2A-SA three star straight tapered flat pointed tweezer is designed for handling labels or SMD components. The overall length is 4.75" and it is made of anti-magnetic Neverrust[®] stainless steel. The tips measure .059" wide by .008" high.

• Precision Level	★★★
• Material	Anti-Mag. SS (316L)
• Surface Resistivity	Conductive
• Shape	Straight Tapered
• Group	Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.059" (1.5mm) x .008" (.2mm)
• Tip Angle	n/a
• Tip Length	n/a
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.75" (118.75mm)
• Country of Origin	Switzerland
• UPC	662847002205
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



C.T.M.
Critical Tip Measurements
(Tip Width and Thickness of one point)



EXCELTA[®]
CORPORATION

- A) 0.059"
- B) 0.0078"
- C) 0.393"
- D) 4.75"
- E) 0.060"