


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


ORIGINAL

(1)






NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

5W5 Female

23.53

3W3 / 3WK3


5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W2 Male/Female



21W1 Male/Female



COMBO ASSEMBLY DATE: JAN. 01/2019

> OF 4

> > ISSUE

1

DATE: SHEET 3

628-9W4-624-4T5

628-9W4-624-4T5


		11W1 Male/Female	27W2 Ma
8W8	8 Female 31.75 22.83 22.97 31.76 22.97 22.97 31.76 31.76 22.97 22.97 31.76 31	33.30 10.00 9.70	100
LAM CURRENT RATING / ϕ		17W2 Male/Female	21W1 Ma
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2			24 24 24
			SW REFERENCE NO .:
	COMBINA	COMBINATION D-SUB	
			CHECKED:
IES FULLY CONFORMS TO		ARE THE PROPERTY OF EDAG INC., AND	SCALE: N.T.S
OPEAN UNION DIRECTIVES ⊡ FOR RoHS COMPLIANCY.	TORONTO, ON CANADA	OR USED AS THE BASIS FOR THE	DRAWING NUMBER:
	YOUR CONNECTION TO QUALITY & SER	VICE MANUFACTURE OR SALE OF APPARATUS	PART NUMBER:




2011/65/EU FOR RoHS COMPLIANCY.

	R	S 23.63 - 23.63 - 23.63 - 23.63 - 23.63 - 3.5 - 2.70 - 4.5 - 4.5		284	16.6
	SW REFEREN	RENCE NO .:	628 (
COMBINATION D-SUB	DRAWN:	C.B			
			CHECKE):	
		THESE DRAWINGS AND SPECIFICATIONS	SCALE:	N.T.S	

WITHOUT WRITTEN PERMISSION.



63.50



PART NUMBER:

47.07

31.70


8W8 Male

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male

25W3 Male




47.05 23.53 9.79 14.51 5.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 7.7



25W3 Female


36W4 Female




13W3 Male



36W4 Male








13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT











			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20)19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-9W4-624-4T5		ISSUE
			PART NUMBER: 628-9W4	-624-4T5	1