


Data sheet | Item number: 706-2300/400-200

System cable; for Siemens S7-300; 8 analog inputs; Length: 2 m; Conductor cross-section: 0.25 mm<sup>2</sup>



[www.wago.com/706-2300/400-200](http://www.wago.com/706-2300/400-200)



Color coding acc. to DIN VDE 47100	25 poles Sub-D connector		PLC connector	
	Pin number	Wiring	Pin number	Signal
White	1	IN0+	2	M0+
Brown	2	IN0-	3	M0-
Green	3	IN1+	4	M1+
Yellow	4	IN1-	5	M1-
Grey	5	IN2+	6	M2+
Pink	6	IN2-	7	M2-
Blue	7	IN3+	8	M3+
Red	8	IN3-	9	M3-
Black	9	IN4+	12	M4+
Violet	10	IN4-	13	M4-
Grey-Pink	11	IN5+	14	M5+
Red-Blue	12	IN5-	15	M5-
White-Green	13	IN6+	16	M6+
Brown-Green	14	IN6-	17	M6-
White-Yellow	15	IN7+	18	M7+
Yellow-Brown	16	IN7-	19	M7-
White-Grey	17	+(24V)	1	L+
Grey-Brown	18	-(0V)	20	M
White-Pink	19	nc	nc	nc
Pink-Brown	20	nc	nc	nc
White-Blue	21	nc	nc	nc
Brown-Blue	22	nc	nc	nc
White-Red	23	nc	nc	nc
Brown-Red	24	1	10	comp+
White-Black	25	2	11	comp-
Shield	Connected to Sub-D			

Data Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



## Electrical data

Inputs/outputs	8 analog inputs
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	2 A

## Compatibility

### Siemens

Siemens S7-300	6ES7 331-7HF01-0AB0 6ES7 331-7KF02-0AB0 6ES7 331-7SF00-0AB0 6ES7 331-7TF00-0AB0 6ES7 332-8TF01-0AB0
----------------	---

## Connection data

Cable type	LIYCY
Color code	per DIN VDE 47100

## Connection 1

Connector	D-subminiature female connector
Connection type 1	System
Wire cross-section	0.25 mm <sup>2</sup>

## Connection 2

Connector 2	Siemens 6ES7-392-1BJ00-0AA0
Pole number 2	25
Connection type 2	System

## Physical data

Cable length	2 m
--------------	-----

## Material Data

Weight	418 g
--------	-------

Subject to changes. Please also observe the further product documentation!

## Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

## Commercial data

Product Group	30 (WAGO France)
eCl@ss 10.0	27-24-22-20
eCl@ss 9.0	27-24-22-20
ETIM 8.0	EC000237
ETIM 7.0	EC000237
PU (SPU)	1 pcs
Country of origin	FR
GTIN	4045454873929
Customs tariff number	85444290900

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Optional accessories

### Interface module

Interface module
------------------



#### Item no.: 704-8013

Interface module for system wiring; with solder pin; Male connector; 25-pole; 8-channel analog input or [www.wago.com/704-8013](http://www.wago.com/704-8013) output; 4-wire; PCB terminal blocks; in mounting carrier

## Downloads

### Documentation

#### Bid Text

706-2300/400-200 X81 - Datei	2019 Feb 19	xml 3.2 kB	Download
---------------------------------	-------------	---------------	----------

706-2300/400-200 doc - Datei	2015 Feb 9	doc 26.1 kB	Download
---------------------------------	------------	----------------	----------

### Additional Information

Disposal and Recycling	V 1.1.0	pdf	Download
------------------------	---------	-----	----------

Subject to changes. Please also observe the further product documentation!



Electrical and electronic equipment, Batteries, Packaging

2022 Aug 18

2.2 MB

### System Description

WAGO System Wiring, Selection Guide

This guide will help you select the appropriate interface modules and system cables for the controller you are using.

pdf  
545.9 kB

[Download](#)

### CAD/CAE-Data

#### CAE data

WSCAD Universe 706-2300/400-200

[URL](#)

[Download](#)

WSCAD Universe 706-2300/400-200

[URL](#)

[Download](#)

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 706-2300/400-200

System cable; for Siemens S7-300; 8 analog inputs; Length: 2 m; Conductor cross-section: 0.25 mm<sup>2</sup>

[URL](#)

[Download](#)

### Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.