




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER







NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	-		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
YOUR	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-25W3224-7T5		ISSUE
			PART NUMBER: 628-25W	/3224-7T5	1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

5W5 Female

47.07

47.05

23.53

3W3 / 3WK3

8W8 Male

31.70

5W1 Male/Female

7W2 Male/Female






21W4 Male/Female



le/Female



le/Female



628 COMBO ASSEMBLY

DATE: SHEET 3

628-25W3224-7T5

DATE: JAN. 01/2019

OF 4

ISSUE

1

		11W1 Male/Female	27W2 Male/Fema	le
23.83 444 450 450 450 450 450 450 450 450 450	emale 31.75 22.97 4 4 4 4 4 4 4 4 4 4	33.30 16.66 9.70 8.31 9.70		63.50 31 15.24 • • • • • • • • • • • • • • • • • • •
CURRENT RATING / ØA		17W2 Male/Female	21W1 Male/Fema	le
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2				
	COMBINATION D-SUB		SW REFERENCE NO.: 628 C	COMBO ASSE
			CHECKED:	DATE: JA
FULLY CONFORMS TO		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3
AN UNION DIRECTIVES		TARIO SHALL NOT BE REPRODUCED, OR COPIED	DRAWING NUMBER: 628-25W	/3224-7T5

YOUR CONNECTION TO QUALITY & SERVICE



THIS SERIES FU THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	·- •	
		SW REFER
COMBINATION	D-SUB	DRAWN:
		CHECKED:
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE:
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING
	MANUFACTURE OR SALE OF APPARATUS	DADTAUN

WITHOUT WRITTEN PERMISSION.



PART NUMBER:

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14,51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 원 2.77





13W6 Male




43W2 Male





17W5 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT















		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-25W3224-7T5		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-25W	3224-7T5	1





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female