



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




**ISSUE NUMBER** ORIGINAL

(1)





## NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
		DRAWN: C.B	DATE: JAN. 01/20	19
			DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-17W	2624-3T2	ISSUE
		PART NUMBER: 628-17W	2624-3T2	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

628-17W2624-3T2



3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female


47.05 23.83 14.49 14.49 14.49 0.55 0.55 0.35 0	53.50 31.75 22.87 22.87 22.83 90 90 90 90 90 90 90 90 90 90			63.50 31.75 31	and a
		11W1 Male/Female	27W2 Male/Femal	e	
e 8	W8 Female 53.50 72.43 72.43 72.43 72.47	17W2 Male/Female	21W1 Male/Femal	-	and the second s
CURRENT RATING / 0 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	ØA	47.00 47		47.05 2.1.03 4 4 4 4 4 4 4 4 4 4 4 4 4	ø
		SW REFERENCE NO.: 628 C	COMBO ASSEMBLY		
	COMBINA	COMBINATION D-SUB		DATE: JAN. 01/20	)19
	THESE DRAWINGS AND SPECIFICAT		CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO			SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.		TORONTO, ONTARIO CANADA SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE		DRAWING NUMBER: 028-17W2024-312 ISSUE	
2011/65/EU FOR RoHS COMPLIANCY. YOUR CONNECTION TO QUALITY & SERVICE MANUFACTURE OR SALE OF APPARATU		PART NUMBER: 628-17W	2624-3T2	1	

WITHOUT WRITTEN PERMISSION.

5W5 Male

5W5 Female

COMPLIANT



8W8 Male

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





9W4 Male



25W3 Male



47.Ož 23.53 14.51 9.70 7.79



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62





13W6 Male



43W2 Male






.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




22.16 20.7


2.77

17W5 Male










2.77

11.08

2.77



	SW REFERENCE NO.: 628 C	OMBO ASSEMBLY
	DRAWN: C.B	DATE: JAN. 01/2019
	CHECKED:	DATE:
NS D IED US	SCALE: N.T.S	SHEET 4 OF 4
	DRAWING NUMBER: 628-17W2	2624-3T2 ISSUE
	PART NUMBER: 628-17W2	2624-3T2 <sup>1</sup>



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

YOUR CONNECTION TO	EDAC INC TORONTO, ONTARIO CANADA ) QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIEL OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

COMBINATION D-SUB

