

ITEM	MOLEX P/N	DESCRIPTION	QTY	UOM
A,B	1718500300	MICROFIT 3.0 RECPT 1 ROW V-0 TPA 03 CKT	2	PC
C	430300001	MicroFit 3.0 F Crp Term Chn Tin 20-24	6	PC
D	-	LABEL	1	PC

FROM	TO	CABLE DESCRIPTION	COLOR
A1	B3	20 AWG UL1061 BLACK DISCRETE WIRE	BLACK
A2	B2		
A3	B1		




TABLE			
PART NUMBER	L1	L2	TITLE
1451320300	75±5	25REF	Micro-Fit 3 Circuit 75MM
1451320301	150±10	70REF	Micro-Fit 3 Circuit 150MM
1451320303	300±15	145REF	Micro-Fit 3 Circuit 300MM
1451320310	1000±20	495REF	Micro-Fit 3 Circuit 1M

- NOTES**
1. Cable assembly to be tested 100% for continuity and polarity.
 2. Label text must be 2mm max. In height with Arial font.
 3. Connector view shown is from mating side.
 4. Label must be wrapped in Flag type.

P/N:145132XXXX — MOLEX PN
 MOLEX
 BATCH WK/YR

DETAIL A

DATE	REV	DESCRIPTION	REVISED BY
2018.08.21	A	INITIAL RELEASE	SSHIVASHANKA

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SYMBOLS	DIMENSION UNITS	SCALE	CURRENT REV DESC:
▽ = 0	mm	NTS	EC NO: 605353 DRWN: SSHIVASHANKA 2018/09/12 CHK'D: MNARAYAN01 2018/10/03 APPR: MNARAYAN01 2018/10/03 INITIAL REVISION: DRWN: SSHIVASHANKA 2018/09/12 APPR: MNARAYAN01 2018/10/03
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		
▽ = 0	ANGULAR TOL ± °		
▽ = 0	4 PLACES	±	
▽ = 0	3 PLACES	±	
▽ = 0	2 PLACES	±	
▽ = 0	1 PLACE	±	
▽ = 0	0 PLACES	±	
□ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION
▽ = 0			DRAWING
		SERIES	MATERIAL NUMBER
		CUSTOMER	SHEET NUMBER

molex

SEE TABLE

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
4000095240	PSD	000	A

SEE TABLE GENERAL MARKET 1 OF 1