

Specification Sheet

Part Number: 556-26503

Impregnated with metal particles, making it magnetic and X-ray detectable.

Outstanding resistance to chemical cleaning products commonly used in the food, beverage and pharmaceutical industries.

Resists high temperatures and won't burn, making it ideal for a wider range of applications.

Print from the reel with HellermannTyton's premium range of thermal transfer printers.



Article Number	556-26503
Type	TTAGMC15BEX100S
Color	Blue (BU)
Quantity Per	roll
Product Description	TTTAG MC is a Tiptag that is detectable using a metal scanner. The Tiptag can be printed and applied to wire and cable for use in food processing equipment where foreign matter cannot be allowed to contaminate consumer products.
Short Description	Printable Tag with Metal Content, 0.59" x 3.93", Polyolefin, Blue, 120/roll

Global Part Name TTAGMC15BEX100S-PO/MET-BU

Length L (Imperial) 3.94

Length L (Metric) 100.0

Fixation Method Others

Variant Roller form

Width W (Imperial) 0.59

Width W (Metric) 15.0

Height H (Imperial) 0.59

Height H (Metric) 15.0

Material Polyolefin (PO) Metal (MET)

Material Shortcut MET PO

Operating Temperature -40°F to +185°F (-40°C to +85°C)

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Package Quantity (Imperial) 120

Package Quantity (Metric) 120